Ceník 2018

uvedené ceny jsou v CZK bez DPH platné od 1.1.2018 do 31.12.2018





Content

General Terms	4
HÅG SoFi [®]	6
HÅG Capisco [®]	8
HÅG Capisco Puls [®]	9
HÅG Futu [®]	10
HÅG Executive	12
HÅG H05 [®]	17
HÅG H04 [®]	20
HÅG H03 [®]	22
HÅG Conventio [®]	23
HÅG Conventio Wing [®]	25
HÅG Accessories	27
Main spare parts	28
Physical measurements	34
Tests and Certificates	38
HÅG Fast	40
HÅG Total Colour Extended Collection	41
HÅG Colour and Fabrics	43
HÅG Total Colour Standard Collection	45

General Terms

Standard dispatch times

Dispatch times	Working days
HÅG Fast (after order has been registered)	10 - 15
HÅG Total Colour Standard	15 - 20
HÅG Total Colour Extended	25 - 30*
Special and COM	on request
Transport-days must be added	·

* Provided that the supplier has the fabric in stock. Longer delivery times may occur periodically, during holidays and for large

Order Entry Specifications

When placing your order please remember to specify the following information:

- Chair model
- Number of chairs
- Fabric/Leather and Colour Code
- Plastic colour on HÅG Conventio Wing
- Plastic colour on HÅG Capisco Puls
- Colour on base
- Type of castors or glides
- Delivery date
- Delivery address

Colour on base.

Where a base is specified in black, other metal components will be in black also. Similarly, chairs on silver bases have metal components in silver. Other metal colours need to be specified for chairs with polished aluminium bases (extra cost option). Specified combinations are defined for:

HÅG SoFi

HÅG Executive

HÅG H05 Communication

Castors

Both hard and soft castors and glides are supplied according to EN1335 Class A standard, and must be specified at time of order (soft for hard flooring, hard for soft flooring). Additional castor options are available on request, but must be specified at time of order and the delivery lead time may be increased. Price on application.

Packaging material - recycling

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

Prices

All prices are recommended retail prices in Euro excl. VAT. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Delivery Terms

EX WORKS ref. Incoterms 2010.

In the case that goods have been damaged in transit, the recipient/customer must inform the supplier within 48 hours of receipt.

HÅG Warranty

General terms and conditions.

Flokk's warranty covers all HÅG chairs against material and manufacturing faults and defects from the chair's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Wear and tear must be expected from normal use and are not covered by the warranty. Unless otherwise is specified, the maximum weight for users is 110 kg. The warranty is conditional on the chair and fabrics/leather undergoing normal cleaning. The guarantee does not cover the consequence of wear and stains when choosing a light (white) colour for plastic or metal components.

10 year warranty for HÅG products and accessories

Flokk provides a 10 year warranty for all HÅG chairs and accessories that are in normal use for up to 9 hours per day. Please also see the general warranty terms and conditions.

24/7 - 5 year warranty.

Flokk provides a 5 year warranty for HÅG chairs that are specifically purchased for 24 hour use and which are upholstered in 24/7 approved fabrics/leather from Flokk's Standard Fabric program. Please also see the general warranty terms and conditions.

>9 hours/day - 5 year warranty.

Flokk provides a 5 year warranty for all HÅG chairs that are in normal use for more than 9 hours per day. Please also see the general warranty terms and conditions.

Spare parts guarantee.

Flokk guarantees the delivery of spare parts for a minimum of 10 years after the chair's production date. The guarantee covers the parts necessary to maintain the chair's original functionality.

HÅG Total Colour (HTC) collection

HÅG Total Colour (HTC) Standard fabric/colour program.

Flokk provides a 10 year warranty for fabrics/leather from the HTC Standard collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 5 year warranty for fabrics/ leather from the HTC Standard collection when the chair is in normal use for more than 9 hours per day.

HÅG Total Colour (HTC) Extended fabric/colour program.

Flokk provides a 5 year warranty for fabrics/leather from the HTC Extended collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the HTC Extended collection are available with a 5 year warranty for 24 hour use (for use of more than 9 hours per day).

Special or Customer specified fabrics/leather.

If the fabrics in the HÅG Total Colour (HTC) Standard or Extended collections are not what you are looking for, please contact Customer Service at Flokk, email: info-gpo@flokk.com. The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery. This does not affect your rights and obligations under local law. Customer specified fabrics/leather can only be used following approval by Flokk.

Approvals and Certifications

Flokk is ISO 9001 accredited. The German test institutes, LGA and Intertek, have approved and issued the GS certificate (Geprüfte Sicherheit) for a number of HÅG products.

- HÅG task chairs are tested in accordance with both EN 1335 Type A (European office chair standard) and ANSI Bifma (American standard).
- HÅG conference and visitor chairs are tested in accordance with EN 13761, EN 16139 and the ANSI Bifma standard.
- HÅG SoFi, HÅG Futu, HÅG H04, HÅG H05 and HÅG Executive are tested according to British Standard BS 5459-2, a commonly used standard for intensive use (24 hours).

EN 1335 is a European Standard for office chairs and considers dimensions of the chair, safety requirements and safety test methods. The European Standard tests are based on 8 hours daily use by persons weighing up to 110 kg (17¼ stone).

The British Standard (BS 5459-2) tests that the chair will be suitable for more than 8 hours daily use and for persons weighing up to 150 kg (23% stone).

The majority of HÅG products are tested and approved according to the Swedish Möbelfakta requirements.

ESD (Electro Static Discharge).

We can supply HÅG H04 4100, HÅG H05 5400, HÅG Capisco Puls 8001, 8010 and HÅG Capisco 8106 as ESD chairs upholstered in anti-static synthetic leather (Nevotex) or Global ESD (Bogesunds). For HÅG Capisco Puls the price will be price group 5 + 25%. Flokk provides a 5 year warranty on ESD chairs, conditional on castors and upholstery being cleaned regularly with a suitable cleaning agent.

Cleanroom

We can supply HÅG Capisco Puls 8010 for Cleanroom, upholstered in Antistatic synthetic leather (please see HÅG Total Colour Extended Collection for further info). Flokk provides a 5 year warranty on cleanroom finished chairs, conditional on castors and upholstery being cleaned regularly with a suitable cleaning agent.

Maintenance guide

Care of fabric upholstery:

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery:

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating

Contact your Flokk dealer if the chair requires servicing or other maintenance. For additional maintenance advice please contact our customer service team.

End of life - recycling

We encourage you to ensure recycling of your chair and its various components, according to the 'end of life matrix' described in your chair's user manual. Please dispose your chair/components using your local recycling partners/stations - and follow your local regulations. If you have questions on how to dispose or return your chair after use, please inform your contact person within Flokk.

Fire resistant foam

Flame resistant foam is available on request, but must be specified at time of order and adds approximately two to five weeks to delivery lead times. Price on application. CHMR foam must be specified on chairs intended for domestic use.

Change/cancellation of orders

Change/cancellation of orders on chairs or upholsteries is possible up until production has begun. Each amended or cancelled order will incur a charge of Euro 50 per order. Once production has started orders cannot be changed. Change of orders within the HÅG Fast collection are not possible.

For further information regarding change /cancellation of orders, please feel free to contact our Customer Service department.

Customer Service

Flokk

Phone: +47 7240 7240 E-mail: info-gpo@flokk.com

Flokk reserves the right to make small construction alterations without notice.

HÅG SoFi® – task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Seat height adjustment
- Adjustable lumbar support
- Adjustable tilting resistance forwards and backwards
- Lockable til
- Five star base (Ø730 mm) in aluminium with footplates. Standard aluminium in black with black plastic, silver or white with light grey plastic parts. Optionally in polished aluminium. Please specify colour at time of order
- Castors for hard or soft flooring. Must be specified at time of order
- 165 mm lift (Seat height: 396-543 mm)
- Painted aluminum colours: black, silver or white
- Plastic colours: black or light grey

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
7500	HÅG SoFi 7500 • Mesh back. The mesh back comes in black (MEH001) or grey (MEH002) and matches the frame colour. • High back		19432	19852	20552	21364	22148	25480	
7200	HÅG SoFi 7200 • Medium back		23072	23716	24752	25984	27132	32116	
7300	HÅG SoFi 7300 ● High back								
	- High back	38° 38°	24416	25060	26152	27468	28700	33908	
	Accessories/Options Headrest		6608	6776	6888	7112	7560	8512	
	Adjustable armrests in plastic with s	oft tops (width 92 mm) and stem in pair	nted alumi	nium				4620
	- Surcharge for armrests in painted	aluminium with soft to	ps (width 102 mm) and stem	n in alumin	iium			728
	- Surcharge for armrests in black pla	astic with soft tops (wic	dth 92 mm) and st	em in poli	shed alum	iinium			1596
	- Surcharge for armrests in polished	aluminium with soft to	ops (width 102 mr	m) and ste	m in polisł	ned alumir	nium		3332
	- Surcharge for armrests with HÅG S	SlideBack							1148
	- Surcharge for armrests with leathe	r tops, black or dark g	rey (For armrest ir	n aluminiui	m)				1876
	- Surcharge for armrests with 3D top	os (for armrest in plasti	c)						1008
	200 mm lift								280
	HÅG FootRing**								2968
	Footbase (Ø730 mm) in polished al	uminium							2968
	Decorative stitching*								2436

^{*} Available for all models, but only for seat on HÅG SoFi with mesh back. Please see HÅG Colour and Fabrics for additional information.

^{**} Must be ordered together with 200 mm lift.

HÅG SoFi® - Communication chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Seat height adjustment
- Lumbar support
- Four star aluminum base (785mm) available in black, silver or white as standard with polished aluminum as an optional extra. Mechanism cover is black when ordering black base and light grey when ordering silver or white base. Please specify when placing your order.
- Plastic glides for soft flooring or felt glides for hard flooring. Must be specified at time of order.
- 165 mm lift (Seat height: 400-550 mm)
- Painted aluminum colours: black, silver or white
- Plastic colours: black or light grey

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
7502	 HÅG SoFi Communication 7502 Mesh back. The mesh back comes in black or grey and matches the frame colour. High Back 		13748	14028	14532	15092	15652	17976	
7202	HÅG SoFi Communication 7202 • Medium back		16632	16996	17584	18284	18956	21812	
7302	HÅG SoFi Communication 7302 ● High back		18060	18452	19096	19852	20580	23688	
	Accessories/Options Adjustable armrests in plastic with	n soft tops (width 92 mm	n) and stem in pai	nted alun	ninium				4620
	- Surcharge for armrests in painte	d aluminium with soft to	ps (width 102 mr	n) and ste	m in alumir	nium			728
	- Surcharge for armrests in black	•		•					1596
	- Surcharge for armrests in polish				·	hed alumi	nium		3332
	- Surcharge for armrests with leat		grey (For armrest i	in alumini	um)				1876
	Four star base (Ø785 mm) in polis								2044
	Five star base (Ø730 mm) in paint				ask chair)				na dotaz
	Five star base (Ø730 mm) in polis	hed aluminium with cast	tors (as for task ch	nair)					2912
	Decorative stitching*								2436

^{*} Available for all models, but only for seat on HÅG SoFi with mesh back. Please see HÅG Colour and Fabrics for additional information.

HÅG Capisco® - task chairs

- HÅG in Balance® (balanced, flowing tilt function)
- Adjustable tilt tension backwards (not available for 8105)
- Seat height adjustment
- Seat depth adjustment (not available for 8105)
- Back height adjustment (not available for 8105)
- Lockable seat (not available for 8105)
- Suitable for all working surfaces with table height of 72 cm and higher
- Five star base in aluminium (Ø730 mm) with curved/arched footplates, black, silver or white, optionally in polished aluminium (see options below). Please specify colour at time of order
- 200 mm lift (Seat height: 470-655 mm). 265 mm lift standard for 8105 (Seat height: 570-810 mm)

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
8105	HÅG Capisco 8105		12068	12236	12768	13272	14252	15792	
8106	HÅG Capisco 8106 ● Available as electro static discharged (ESD) chair (PG 6 + 10%)		29260	29652	30940	32116	33068	38416	
8107	HÅG Capisco 8107 • Headrest (only available in silver and black)		35028	35644	37240	38724	39648	46116	
8126	HÅG Capisco 8126								
8127	HÅG Capisco 8127 • Headrest (only available in silver and black)								
	Accessories/Options 150 mm lift 265 mm lift (glides are recommend Telescopic lift cover Five star base (Ø730 mm) in polish Decorative stitching* HÅG StepUp								0 252 364 3164 2436 4200

^{*} Available for model 8105, 8106 and 8107. Please see HÅG Colour and Fabrics for additional information.

^{**} Must be ordered together with 200 or 265 mm lift

HÅG Capisco Puls® - task chairs

- HÅG in Balance® (balanced, flowing tilt function)
- Adjustable tilt tension backwards (not available for 8001 and 8002)
- Seat height adjustment
- Seat depth adjustment (not available for 8001 and 8002)
- Back height adjustment (not available for 8001 and 8002)
- Lockable seat (not available for 8001 and 8002)
- Suitable for all working surfaces with table height of 72 cm and higher
- Seat and backrest available in 8 different colours: Clay, Pink, Sea Green, Petroleum, Light Grey, Black, White and Red. Please specify colour at time of order.
- Five star base (Ø730 mm) in aluminium with curved/arched footplates, black, silver or white, optionally in polished aluminium or black plastic base (Ø700 mm). Please specify colour at time of order.

Item no	Base model +	Price Group	(1)	(2)	(3)	(4)	(5)	Price
8001	HÅG Capisco Puls 8001 • Pad available in all HTC Standard fabrics and leather*** • Seat height: 540-770 mm • 265 mm lift • Available as electro static discharged (ESD) chair (PG 5 + 25 %)		8540	8708	9156	9408	10164	
8002	HÅG Capisco Puls 8002 • Removable seat cushion in Nexus, Sprint or Evida* • Seat height: 555-785 mm • 265 mm lift				11304	11788		
8010	HÅG Capisco Puls 8010 • Available for Cleanroom upholstered in Antistatic synthetic leather • Pad available in all HTC Standards and leather*** • Seat height: 455-620 mm • 200 mm lift • Available as electro static discharged (ESD) chair (PG 5 + 25 %)		11704	11900	12432	12880	13888	
8020	HÅG Capisco Puls 8020 Removable seat cushion in Nexus, Sprint or Evida* Seat height: 470-635 mm 200 mm lift				13580	4056		
	Accessories/Options 150 mm lift							0
	265 mm lift (glides are recommer	ided, no additional charge)						252

Telescopic lift cover

HÅG FootRing**

HÅG StepUp

Five star base (Ø730 mm) in polished aluminium

Five star base (Ø700 mm) in black plastic

364

3164

-392

2968

4200

^{*} Removable seat cushion for HÅG Capisco Puls 8002 and 8020 are only available in the following fabrics: Nexus and Sprint (Camira) or Evida (skai by Hornschuch). Evida has delivery time as extended. Nexus and Sprint (Standard colours) and Evida (Extended colours) are price group 3. Nexus and Sprint in Extended colours are price group 4.

^{**} Must be ordered together with 200 or 265 mm lift

^{***} Pad available in all HTC Standard fabrics and leather except Steelcut Trio and Paloma leather

HÅG Futu® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Adjustable lumbar support
- Seat height adjustment
- Adjustable forwards and backwards tilting resistance
- Lockable tilt
- Aluminium five star base (Ø730 mm) with foot supports, black or silver
- 165 mm lift (Seat height: 400-550 mm)
- Painted aluminum colours: black or silver
- Plastic colour: black

Item no	Base model +	Price Group							Price
1020-F	HÅG Futu 1020-F ◆ FutuKnit on seat and face of backrest								17584
			1	2	3	4	(5)	6	Price
1020	HÅG Futu 1020 ● Black or grey Futuknit only on face of backrest. HTC Standard on seat		17640	18032	18648	19404	20132	23128	
	Accessories/Options Adjustable armrests, black plastic								1848
	- Surcharge for armrests with black	leather tops							2632
	- Surcharge for armrests with 3D to	pps							1848
	200 mm lift								560
	Five star base (Ø680 mm) in black	plastic							-672
	Five star base in polished aluminiu	m							2912
	HÅG FootRing**								2968

^{**} Must be ordered together with 200 mm lift

HÅG Futu® Communication

- Backward tilt
- Sledge base in steel (Seat height: 465 mm)
- Stackable (4 chairs)
- Painted aluminum colours: black or silver
- Plastic colour: black

Item no	Base model +	Price Group							Price
1070-F	HÅG Futu Communication 1070-F • FutuKnit								9408
			1	2	3	4	(5)	6	Price
1070	HÅG Futu Communication 1070 Black or grey FutuKnit on backrest front and HTC Standard on seat		9800	9996	10500	11032	11788	13188	

FutuKnit™ by Camira

FutuKnit is a fabric especially designed for the HÅG Futu precisely shaped and fitted for the back support and seat cushion. The 3D knitted fabric adjusts itself to the curvature of the body. It provides higher seating comfort through soft upholstery with no foam and no unnecessary seams and good resilient elasticity. Eight attractive and harmonious FutuKnit colours are available for the seat and back. (Please have a look and further information below). Otherwise you can select the seat fabric from the complete HÅG Total Colour program in combination with the back in black (FTU001) or grey (FTU002) FutuKnit. For further information please contact your HÅG dealer.

Composition: 100% polyester

Flammability: BS EN 1021 – 1-2: 2006 (Cigarette & match),

BS7176: 2007 Low Hazard

Fastness to rubbing: Dry and Wet 4 (scale 1–5) Weight (g/m^2): Back: 766, Seat: 668 Abrasion: >110 000 Martindale

Light fastness: 6 (scale 1–8)

Pilling: 5 (BS EN ISO 12945-2)

Maintenance: To be vacuumed with a furniture brush or use a

clean white damp cloth or sponge slightly dampened with clean lukewarm water.

Environmental facts: Manufacturing process - fully compliant with ISO

14001. EU Ecolabel, Oeko-tex 100

Guarantee:

Flokk offers a 10 year guarantee against material defects and manufacturing

faults from date of production on all chairs

upholstered in FutuKnit and HTC Standard fabrics and leather.



HÅG® Executive - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Adjustable forwards and backwards tilting resistance
- Seat height adjustment
- Seat depth adjustment
- Adjustable lumbar support on all models
- Adjustable headrest on model 9031, 9231 and 9331
- Tilt lockable in three positions
- HÅG TiltDown™ armrests (tilt down, height and width) with black leather top
- Five star base (Ø740 mm) with sloping footplates, in matt black aluminium
- All aluminium components are standard black. Optionally available in combinations with polished aluminium or all polished. Please specify colour at time for order. See page 15 for specifications
- 150 mm lift (Seat height: 397-525 mm)

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
9031	HÅG Tribute 9031 • Headrest		50792	51884	53704	55832	57904	66584	
9021	HÅG Tribute 9021	88 A 39	43204	44128	45696	47488	49252	56644	
9221	HÅG Inspiration 9221 ■ Back in Space (dark) or Lumina (black) ■ Seat and cushion available in Note, Shimmer (PG 4) and Paloma Soft (PG 6)					43652		50652	
9231	HÅG Inspiration 9231 Back with headrest in Space (dark) or Lumina (black) Seat and cushions available in Note, Shimmer (PG 4) and Paloma Soft (PG 6)					53732		70308	
9321	HÅG Excellence 9321 • Rear of backrest is upholstered in black Plaintech • Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6)					52500		68908	
9331	HÅG Excellence 9331 Back with headrest Rear of backrest is upholstered in black Plaintech Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6)					66948		87668	

Accessories/Options

All polished aluminium	5180
Mix of black / polished aluminium - Black foot base with polished details	1316
Mix of polished / black aluminium - Polished foot base with black details	3472
HÅG Executive Basic armrests (with height and width adjustment)	-3556
200 mm lift	448
Five star base (Ø740 mm), in polished aluminium	2436

HÅG® Executive - Meeting chairs

- HÅG inBalance® (balanced, flowing tilt function backwards and forwards)
- Seat height adjustment
- Adjustable back cushion (lumbar)
- Swivel
- Adjustable tilting resistance backwards
- Five star base (Ø650 mm) with sloping footplates, in matt black aluminium
- All aluminium components are standard black. Optionally available in combinations with polished aluminium or all polished. Please specify colour at time for order. See page 15 for specifications

Item no	Base model +	Price Group	1	2	3	4	(5)	6	Price
9073	HÅG Tribute Meeting 9073	28 A 29	27944	28560	29568	30744	31864	36652	
9273	HÅG Inspiration Meeting 9273 Back in Space (dark) or Lumina (black) Seat and cushion available in Note, Shimmer (PG 4) and Paloma Soft (PG 6)					30520		34552	
9373	HÅG Excellence Meeting 9373 • Rear of backrest is upholstered in black Plaintech • Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6)					33348		45640	
	Accessories/Options All polished aluminium								5180
	Mix of black / polished aluminium -	Black foot base with p	polished details						1316
	Mix of polished / black aluminium -	Polished foot base wi	th black details						3472
	HÅG Executive Basic armrests (with	n height and width adju	ustment)						6104
	Five star base (Ø650 mm) in polishe	ed aluminium							2296
	Four star base (Ø785 mm) in black	painted aluminium							-504
	Four star base (Ø785 mm) in polish	ed aluminium							1596

HÅG EXECUTIVE COLLECTION – ADDITIONAL INFORMATION

We offer 4 predefined configurations for the HÅG Executive range:



ALL BLACK (standard)

Black aluminium foot base - 1

Black lift cover - 2

Black armrests - 3

Black lower part of armrests - 4

Black lumbar wheel - 5

Black ring/cover for lumbar wheel - 6

Black Headrest stem cover - 8

Black headrest stem - 7

Black spine - 9

Black upper and lower back bars - 10



HÅG Excellence 9321



HÅG Tribute 9031

BLACK FOOTBASE WITH POLISHED DETAILS (option)

Black aluminium foot base - 1

Polished lift cover – 2

Polished armrests - 3

Polished ring/cover for lumbar wheel - 6

Polished headrest stem cover - 8

Black lower part of armrests - 4

Black lumbar wheel - 5

Black headrest stem - 7

Black spine - 9

Black upper and lower back bars - 10



HÅG Excellence 9321



POLISHED FOOTBASE WITH DETAILS IN BLACK (option)

Polished aluminium foot base - 1

Black lift cover - 2

Black lower part of armrests - 4

Black lumbar wheel - 5

Black headrest stem cover - 8

Black spine - 9

Polished armrests – 3

Polished ring/cover for lumbar wheel - 6

Polished headrest stem - 7

Polished upper and lower back bars - 10





ALL POLISHED (option)

Polished aluminium foot base - 1

Polished lift cover - 2

Polished armrests - 3

Polished lumbar wheel – 5

Polished ring/cover for lumbar wheel - 6

Polished Headrest stem cover - 8

Polished Headrest stem - 7

Polished upper and lower back bars - 10

Black lower part of armrests - 4

Black spine - 9



HÅG EXECUTIVE ADDITIONAL INFORMATION – FABRICS

PLAINTECH (SR-WEBATEX)

(used on the rear side of the backrest on HÅG Excellence 9321 and 9331 and HÅG Meeting Excellence 9373)

Composition: 100 % polyamide

Flammability: BS EN 1021: 1–2 (Cigarette & match)

Space (dark) (Gabriel) and Lumina (K&R Sax) (used on the back of HÅG Inspiration 9221 and 9231 and HÅG Meeting Inspiration 9273). These innovative textiles are self-supportive, which gives new possibilities regarding product design as well as becoming an important part of the sitting experience.

SPACE

Composition: 100 % polyester monofilament

Abrasion and

tear-strength: 2469N x 11083N support strength

Flammability: BS EN 1021: 1–2 (Cigarette & match), FAR

25.853, DIN 4104 - B1 and B2, BS 5852 P 2 crib5

Environmental facts: ISO 14001 certified

Colour:



Space SPA 000

LUMINA

Composition: 67% polyester, 33% polyamide

Abrasion: >100 000 Martindale

Tear-strength: 1457Nx1283N

Flammability: BS EN 1021: 2006 (Cigarette)

Environmental facts: ISO 14001 certified

Colour:



Black Lumina LUM 100





For all the above mentioned fabrics the following guarantee and maintenance apply:

Guarantee: 10 years, 5 years for 24/7 use.

Maintenance: To be vacuumed with a furniture brush, wiped with a clean damp cloth or sponge slightly dampened with clean lukewarm water.

HÅG H05® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- 4 in 1 adjustment: seat depth, back height and forward and backward tilt tension in one wheel
- Adjustable seat height
- Possibility to adjust backrest separately
- Lockable in three positions
- Five star base (Ø730 mm) in aluminium with curved/arched footplates, standard in black or silver, optionally in polished aluminium. Please specify colour at time of order.
- 150 mm lift (Seat height: 390-515 mm)

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
5100	HÅG H05 5100 ● Partially upholstered ● Low back		21840	22232	23396	24108	25340	28784	
5200	HÅG H05 5200 ● Fully upholstered • Low back		23800	24304	25200	26264	27524	31276	
5300	HÅG H05 5300 ● Partially upholstered ● Medium back		23408	23940	25088	26348	27552	32060	
5400	HÅG H05 5400 • Fully upholstered • Medium back • Available as electro static discharged (ESD) chair. (PG 6 + 10%) • Headrest and armrests not available for ESD chair		25312	25788	27104	28308	29540	34552	
5500	HÅG H05 5500 ● Partially upholstered ● High back		24808	25368	26628	27804	28980	33880	
5600	HÅG H05 5600 ● Fully upholstered ● High back		26684	27272	28644	29904	31024	36344	

Accessories/Options Headrest HÅG H05 5100, 5300, 5500	6020	6076	6328	6608	7280	7952	
Headrest HÅG H05 5200, 5400, 5600	6860	7056	7280	7560	8400	8932	
Adjustable armrest							3780
- Surcharge for armrests with leather tops (black standard)							3976
- Surcharge for armrests with 3D tops							1484
- Surcharge for HÅG SwingBack® armrests							2884
200 mm lift							308
265 mm lift (glides are recommended, no additional charge)							644
Five star base (Ø730 mm) in polished aluminium							3164
Decorative stitching*							2436
HÅG FootRing**							2968
HÅG StepUp							4200

 $^{^\}star$ Available for model 5200, 5400 and 5600. Please see HÅG Colour and Fabrics for additional information ** Must be ordered together with 200 or 265 mm lift

HÅG H05® Communication

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Medium back
- Legs in aluminium, black or silver, optionally in polished aluminium. Please specify colour at time of order. (Seat height: 445 mm)
- Glides for hard or soft flooring need to be specified at time of order.

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
5370	HÅG H05 5370 ● Partially upholstered ● Plastic glides		10948	11508	12628	13552	14812	16688	
5470	HÅG H05 5470 ● Fully upholstered ● Plastic glides		11788	12320	13860	15176	16380	18564	

Accessories/Options

Armrests HÅG H05 Comm. 5370, 5470, black

Polished legs 3780

19

1120

HÅG H04® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Back height adjustment
- Adjustable seat height
- Adjustable tilt tension forwards and backwards
- Lockable in three positions
- Five star base (Ø730 mm) in aluminium with footplates, standard in black or silver, optionally in polished aluminium. Please specify colour at time of order.
- 150 mm lift (Seat height: 395-530 mm)

		Price Group	1	2	3	4	⑤	6	Price
4100	HÅG H04 4100 • Low back • Smaller seat than 4200 (5 mm width and 10 mm depth) • Available as electro static discharged (ESD) chair (PG 6 + 10%) • Headrest and armrests not available for ESD chair		20944	21476	22400	23212	24528	27636	
4200	HÅG H04 4200 • Low back		23100	23520	24584	25564	26796	30436	
4400	HÅG H04 4400 ● Medium back		24024	24640	25872	26992	28196	32900	
4600	HÅG H04 4600 ● High back		26096	26684	28028	29288	30520	35672	
4650	HÅG H04 4650 • Extra wide (40 mm wider than 4600)		28056	28812	30100	31528	32732	38360	
	Accessories/Options Headrest HÅG H04 4400, 4600, 465	0	6860	7056	7280	7532	8400	9044	
	Adjustable armrests	(- - - - - - - - - - - - -							3836
	Surcharge for armrests with leatherSurcharge for armrests with 3D top								2772 1512
	200 mm lift	3							308
	265 mm lift (glides are recommende	d. no additional charge)*							644
	Five star base (Ø730 mm) in polished								3164
	HÅG FootRing**								2968
	HÅG StepUp								4200

 $[\]ensuremath{^{\star}}\xspace$ 265 mm lift must be ordered together with five star base in aluminium

^{**} Must be ordered together with 200 or 265 mm lift

HÅG H04® Communication

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
 Glides for hard or soft flooring need to be specified at time of order.

Item no	Base model +	Price Group	1	2	3	4	(5)	6	Price
4470	HÅG H04 4470 ● Sledge base in steel: black or silver (Seat height: 445 mm)		11984	12544	14168	15456	17192	18928	
4472	HÅG H04 4472 • Adjustable seat height • Aluminium 5 star base (Ø730 mm) w/footplates: black or silver • 150 mm lift (Seat height: 375-515 mm)		12852	13524	15204	16436	18284	20076	

Accessories/Options

Armrests in aluminium. Silver or black.

2268

HÅG H03® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat height adjustment
- Combined adjustment of back height and seat depth
- Five star base (Ø686 mm) in plastic with sloping footplates
- 150 mm lift (Seat height: 412-551 mm)

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
330	HÅG H03 330 • Low back • Removable upholstery on seat and back (low) • Back bar and arm slides in black or silver		14476	14728	15288	16016	16940	19068	
340	HÅG H03 340 • Removable upholstery on seat and back (medium) • Individual tilt tension adjustment		16016	16324	17108	17696	18620	21084	
350	HÅG H03 350 • Fully upholstered seat and back (medium) • Individual tilt tension adjustment		18396	18788	19628	20412	21336	24220	
	Accessories/Options Adjustable armrests 200 mm lift								2100 420
	265 mm lift (glides are recommen	ded, no additional charge)*							756
	Telescopic lift cover	· · · · · · · · · · · · · · · · · · ·							364
	Five star base (Ø730 mm) in alum								924 4396
	Five star base (Ø730 mm) in polis HÅG FootRing**	nea aluminium							4396 2968
	Five star base (Ø680 mm) in black	c plastic							2700

 $^{^{\}star}$ 265 mm lift must be ordered together with five star base in aluminium

^{**} Must be ordered together with 200 or 265 mm lift

HÅG Conventio® - conference chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Black or silver coloured backstems, must be specified at time of order for models 9512 and 9522

The following applies for models 9510, 9511, 9520 and 9521:

- Legs in black or silver aluminum. Please specify colour at time of order
- Stackable (15 chairs), only available for 4 legged models
- Glides for hard or soft flooring need to be specified at time of order

Item no	Base model +	Price Group	1	2	3	4	5	6	Price
9510	HÅG Conventio 9510 • Upholstered seat and backrest front (plastic back) • Removable upholstery • Built-in handle for carrying • Seat height: 455 mm		9016	9184	9604	10136	11200	14728	
9511	HÅG Conventio 9511 • As 9510 above • 4 cm wider than 9510 • Seat height: 450 mm		9940	10192	10640	11116	12348	16184	
9512	HÅG Conventio 9512 • 5 star plastic foot base (Ø635 mm) • 150 mm lift (Seat height: 400-540 mm) • Backstems in black or silver		11284	11480	12040) 12572	13804	18368	
9520	HÅG Conventio 9520 Upholstered seat and back Removable upholstery Seat height: 455 mm		9492	9688	10136	10640	11480	15176	
9521	HÅG Conventio 9521 • As 9520 above • 4 cm wider than 9520 • Seat height: 450 mm		104444	1 10668	3 1108	8 1153 <u>6</u>	12656	16604	
9522	HÅG Conventio 9522 • 5 star plastic foot base (Ø635 mm) • 150 mm lift (Seat height: 400-540 mm • Backstems in black or silver		11900	12152	12544	13216	14336	18900	

	Accessories/Options	4457
	Armrest in plastic	1456
165240	HÅG Writing tablet. Black, right-handed. Fold down tablet for storage and stacking of chair. (Only for: 9510, 9511, 9520, 9521)	1960
165242	HÅG Writing tablet. Black, right-handed + Armrest in plastic, left side. (Only for: 9510, 9511, 9520, 9521)	2772
	Five star base (Ø730 mm) in aluminium - silver/black (Only for: 9512, 9522)	924
	Five star base (Ø730 mm) in polished aluminium (Only for: 9512, 9522)	4088
115805	Chair hanger. Must be specified at time of order. Can not be retrofitted*	1372
115806	Chair hanger. Must be specified at time of order. Can not be retrofitted	1372
	Connection device - only available for 4 legged models (Only for: 9510, 9511, 9520, 9521)	168
149201	Chair trolley (10 chairs)	5488
108984	HÅG SlipCover available in Atlantic (Gabriel) off-white or grey (Only for: 9510, 9520)	2128

^{*} For models 9512 and 9522.

HÅG Conventio Wing® - conference chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- 9811, 9821, 9831: 4 legs and backstems in matt black or silver coloured aluminium.
- Please specify colour at time of order.
- 9812, 9822, 9832: 5 star foot base in black plastic. 150mm gaslift.
- Seat and backrest available in 6 different colours: Clay, Sea Green, Petroleum, Black, White and Red.
- Stackable: 15 chairs (4 legged models)
- Glides for hard or soft flooring need to be specified at time of order.

Item no	Base model +	Price Group						Price
9811	HÅG Conventio Wing 9811 ● Plastic seat and back ● Seat height: 430 mm							5824
9812	HÅG Conventio Wing 9812 Plastic seat and back 5 star plastic foot base (Ø635 mm) Backstems in matt black or silver Seat height: 375-515 mm							7532_
			1	2	3	4	⑤	Price
9821	HÅG Conventio Wing 9821 Removable upholstery on seat Plastic back Seat height: 430 mm		7308	7448	8148	8904	9268	
9822	HÅG Conventio Wing 9822 Removable upholstery on seat Plastic back Satar plastic foot base (Ø635 mm) Backstems in matt black or silver Seat height: 380-520 mm		9016	9212	10136	11004	11396	
9831	HÅG Conventio Wing 9831 • Removable upholstery on seat and back • Seat height: 430 mm		8960	9100	9968	10836	11284	
9832	HÅG Conventio Wing 9832 Removable upholstery on seat and back 5 star plastic foot base (Ø635 mm) Backstems in matt black or silver Seat height: 380-520 mm		10640	10836	11900	13020	13524	

A	O-+i
Accessories/	Options

	Armrest in plastic	1456
165240	HÅG Writing tablet. Black, right-handed. Fold down tablet for storage and stacking of chair. (Only for: 9811, 9821, 9831)	1960
165242	HÅG Writing tablet. Black, right-handed + Armrest in plastic, left side. (Only for: 9811, 9821, 9831)2772
	Five star base (Ø730 mm) in aluminium - silver/black (Only for: 9812, 9822, 9832)	924
	Five star base (Ø730 mm) in polished aluminium (Only for: 9812, 9822, 9832)	4088
165243	Chair suspension for HÅG Conventio Wing only. To be mounted on the underside of a table top.	283
115805	Chair hanger. Must be specified at time of order. Can not be retrofitted*	1372
115806	Chair hanger. Must be specified at time of order. Can not be retrofitted	1372
	Connection device - only available for 4 legged models (Only for: 9811, 9821, 9831)	168
149201	Chair trolley (10 chairs)	5488

^{*} For models 9812, 9822 and 9832.

HÅG Accessories

Item no	Base model +	Price Group	Price
165177-1A/2A	HÅG StepUp • Black (1A) or silver (2A) • Two extra levels for your feet • Greater variety of seating positions • Easy to attach and detach • For use with 150, 200 and 265 mm gas lifts • Suits desk heights of 80-95 cm		4200
165178-1A/2A	HÅG StepUp ● Two pack, black or silver		8344
165134	HÅG QuickStep • Tilting footrest, stimulates circulation • Foot massager • Balance training		3192
165129	HÅG QuickStep ● Six pack		18816_
169121	HÅG FootRing • Black, silver or white • Additional height for the feet to rest on • Compatible with all HÅG task chairs (except HÅG H09) with 200 or 265 mm gas lifts		2968
149201	Chair trolley (10 chairs) Trolley for moving HÅG Conventio and HÅG Conventio Wing with 4 legs only Recommended for max 8 pcs Black		5488

00

Physical measurements for HÅG working chairs


Measurements in mm. **A** mid-point of chair, loaded with 64 Kg. **S** foremost point of back pads, reference point for measurement of back support adjustment

Model	Seat	height, measu	Seat height, measured with 64 kg load	load									
	1				2	3	4	2	9	2	8	6	
	165 mm lift	150 mm lift*	200 mm lift	265 mm lift	Height of back pads	Height of Height of foremost support support point point on back pads on headrests	Height of foremost support point on headrests	Seat depth	Height of armrests	Seat width	Chair width	Foot base diameter	Weight of chair in kg
HÅG SoFi	Tilt range is 20	o forwards and	Tilt range is 20° forwards and 14° backwards from a neutral position 4° to the rear	from a neutral	osition 4° to 1	he rear							
HÅG SoFi 7200	395-545		450-640		620	165-260	630-835	385-445	185-300	450	600-715	730	17,3
HÅG SoFi 7300	395-545		450-640		720	165-260	630-835	385-445	185-300	450	600-715	730	17,5
HÅG SoFi 7500	395-545		450-640		720	165-260	630-835	380-460	185-300	450	600-715	730	17,0
HÅG Capisco	Tilt range is 15	o backwards fro	Tilt range is 15° backwards from a neutral position 2° to the rear.	sition 2° to the	rear.								
HÅG Capisco 8105		380-515	445-630	530-790						470		730	7.5
HÅG Capisco 8106		408-540	470-655	555-810	460	150-240		340-420		470	595	730	14.0
HÅG Capisco 8126		408-540	470-655	555-810	460	150-240		340-420		470	595	730	14.5
HÅG Capisco 8107		408-540	470-655	555-810	460	150-240	555-785	340-420		470	595	730	15.5
HÅG Capisco 8127		408-540	470-655	555-810	460	150-240	555-785	340-420		470	595	730	16.0
HAG Capisco Puls	Tilt range is 15	backwards fro	Tilt range is 15° backwards from a neutral position 2° to the rear	sition 2° to the	rear.								
HÅG Capisco Puls 8001		365-500	455-620	540-770						460		730	7.0
HÅG Capisco Puls 8002		375-515	470-635	555-785						460		730	7.0
HÅG Capisco Puls 8010		390-525	455-640	540-795	400	140-230		400-470		460	292	730	11.1
HÅG Capisco Puls 8020		400-535	470-650	555-805	400	130-220		400-470		460	565	730	11.1
HÅG Futu	Tilt range is 20	o forwards and	lilt range is 20° forwards and 14° backwards from a neutral position 4° to the rear.	from a neutral p	oosition 4° to 1	he rear.	•						
HÅG Futu 1020	400-550		450-640		280	160-255		385-465	195-290	470	610-700	730	16.8
			•	•									

 \star According to EN1335 Class A Please not absolute. They may vary slightly from chair to chair.

Model	Seat	Seat height, measured with 64 kg load	ed with 64 kg	load									
	1	•			2	3	4	5	9	2	8	6	
	165 mm lift	150 mm lift*	200 mm lift	265 mm lift	Height of back pads	Height of foremost support point on back pads	Height of foremost foremost support point point point on back pads on headrests	Seat depth	Height of armrests	Seat width	Chair width	Foot base diameter	Weight of chair in kg
HAG Executive	Tilt range is 7°	forwards and 1	3° backwards fr	Tilt range is 7° forwards and 18° backwards from a neutral position 3° to the rear	osition 3° to th	e rear							
HÅG Tribute 9021		408-518	462-637		740	170-238		395-480	178-285	455	495-675	740	25.0
HÅG Tribute 9031		408-518	462-637		740	170-238	962-089	395-480	178-285	455	495-675	740	25.0
HÅG Inspiration 9221		405-535	455-645		780	165-255		395-480	200-300	455	495-675	740	20.0
HÅG Inspiration 9231		405-535	455-645		1060	165-255	022-099	395-480	200-300	455	495-675	740	21.5
HÅG Excellence 9321		405-535	455-645		780	165-255		395-480	200-300	455	495-675	740	19.5
HÅG Excellence 9331		405-535	455-645		1060	165-255	022-099	395-480	200-300	455	495-675	740	22.0
HÅG H05	Tilt range is 15	° forwards and	16° backwards	Tilt range is 15° forwards and 16° backwards from a neutral position 1°		to the rear.						•	
HÅG H05 5100		390-515	465-645	550-785	415	135-250	240-790	385-480	175-280	450	900-2009	730	12.5
HÅG H05 5200		390-515	465-645	550-785	410	135-250	240-790	385-480	175-280	450	002-009	730	13.0
HÅG H05 5300		390-515	465-645	550-785	475	135-250	240-790	385-480	175-280	450	002-009	730	16.0
HÅG H05 5400		390-515	465-645	550-785	470	135-250	560-790	385-480	175-280	450	900-2009	730	16.5
HÅG H05 5500		390-515	465-645	550-785	555	135-250	240-790	385-480	175-280	450	002-009	730	18.0
HÅG H05 5600		390-515	465-645	550-785	550	135-250	240-790	385-480	175-280	450	002-009	730	19.0
HÅG H04	Tilt range is 11	° forwards and	16° backwards	Tilt range is 11° forwards and 16° backwards from a neutral position 4°	position 4° to t	to the rear					•	•	
HÅG H04 4100		395-530	460-640	550-785	465	165-255	590-820	360-455	200-300	425	580-680	730	13.5
HÅG H04 4200		395-530	465-645	555-790	465	170-260	590-820	390-485	200-300	430	580-680	730	12.8
HÅG H04 4400		395-530	465-645	555-790	510	170-260	590-820	390-485	200-300	430	580-680	730	15.6
HÅG H04 4600		395-530	465-645	555-790	260	170-260	590-820	390-485	200-300	430	580-680	730	15.8
HÅG H04 4650		395-530	465-645	555-790	262	170-260	590-820	390-485	190-295	475	580-680	730	16.0
HÅG H03	Tilt range is 12	° forwards and	10° backwards	Tilt range is 12° forwards and 10° backwards from a neutral position 0°.	position 0°.							•	
HÅG H03 330		412-551	520-700	548-783	300	170-240		400-470	165-285	420	930	989	12.0
HÅG H03 340		412-551	520-700	548-783	410	165-235		400-470	165-285	420	930	989	12.0
HÅG H03 350		412-551	520-700	548-783	430	160-230		400-470	165-285	445	930	989	13.0

* According to EN1335 Class A Please note that these measurements are not absolute. They may vary slightly from chair to chair.




Physical measurements for HÅG meeting and conference chairs

All measurements in mm. Where a chair is adjustable, minimum and maximum measurements are listed.

Model	1	2	3	4	5	9	7	8		Tilt range	
	Seated height, measured with 64 kg load	Back height (mm)	Diam. footbase (mm)	Seat depth (mm)	Seat width (mm)	Chair width (mm)	Armrests (mm)	Weight (kg)	Neutral	Forwards	Backwards
HÅG SoFi Comm. 7202	400-550	620	785	380-460	450	009		16.2*	-2°	110	13°
HÅG SoFi Comm. 7302	400-550	720	785	380-460	450	009		16.7*	-2°	110	13°
HÅG SoFi Comm. 7502	400-550	720	785	380-460	450	009		15.7*	-2°	110	13°
HÅG Futu Comm. 1070	465	460	1	460	465	550	215	9.3	-	1	ı
HÅG Tribute Meeting 9073	408-518	530	920	430	455	600-680 (740) ¹⁾	155-265	19.2*	-4°	သိ	13°
HÅG Inspiration Meeting 9273	385-520	570	920	440	455	600-680 (740) 1)	155-265	16.013.0*	-4°	4°	13°
HÅG Excellence Meeting 9373	385-520	570	920	435	455	600-680 (740) ¹⁾	155-265	16.5 13.5*	-4°	4°	13°
HÅG H05 Comm. 5370	445	460	1	415	445	570 *470	235	7.2	-4°	°6	13°
HÅG H05 Comm. 5470	445	460	-	415	445	570 *470	235	7.2	-4°	۰6	13°
HÅG H04 Comm.4470	445	510	1	425	450	600 *480	210	10.2	-5°	۰6	13°
HÅG H04 Comm. 4472	375-515	510	730	425	450	600 *480	210	9.1	-5°	۰6	13°

Max. diagonal diameter
 Measurements without armrests
 Please note that the measurements are not absolute. They may vary slightly from chair to chair.



Physical measurements for HÅG meeting and conference chairs

All measurements in mm. Where a chair is adjustable, minimum and maximum measurements are listed.

Model	7	2	က	4	2	9	7	8		Tilt range	
	Seated height, measured with 64 kg load	Back height (mm)	Diam. footbase (mm)	Seat depth (mm)	Seat width (mm)	Chair width (mm)	Armrests (mm)	Weight (kg)	Neutral	Forwards	Backwards
HÅG Conventio 9510, 9520	455	390	1	425	390	550 *460	230	5.0	-5°	12°	110
HÅG Conventio 9511, 9521	450	460	1	430	430	290 *500	230	5.9	-5°	12°	110
HÅG Conventio 9512, 9522	400-540	460	635	430	430	550 *460	230	8.3	-5°	12°	110
HÅG Conventio Wing 9811/9841	430	380	1	420	430	900 *200	245	5.2 *4.4	-5°	12°	110
HÅG Conventio Wing 9821	430	380	1	420	430	900 *200	245	5.4 *4.6	-5°	12°	110
HÅG Conventio Wing 9831	430	380	1	420	430	900 *200	245	5.6 *4.8	-5°	12°	11°
HÅG Conventio Wing 9812	375-515	380	932	420	430	600 *465 (635) 1)	245	7.6 *6.8	-5°	12°	11°
HÅG Conventio Wing 9822	380-520	380	932	420	430	600 *465 (635) 1)	245	7.8 *7.0	-5°	12°	11°
HÅG Conventio Wing 9832	380-520	380	932	420	430	600 *465 (635) 1)	245	8.0 *7.2	-5°	12°	11°

Max. diagonal diameter
 Measurements without armrests
 Please note that the measurements are not absolute. They may vary slightly from chair to chair.

Tests and Certificates

Environmental information HAG SoFi	HÅG SoFi	HÅG Capisco 8106	HÅG Capisco Puls	HÅG Futu	HÅG Inspiration 9231	HÅG H05 5300	HÅG H05 5370	HÅG H04 4400	HÅG H04 4470	HÅG H03 320	HÅG Conventio 9511	HÅG Conventio Wing 9520
EPD (Environmental Product Declaration)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Environmental key indicators (from EPDs): • Global warming (kg CO2 - equivalent)	92	36	31	51	09	61	37	53	54	44	34	24
• Energy consumption (MJ)	1967	747	209	943	1370	1127	554	1021	006	786	396	397
 Amount of recycled material 	45 %	43 %	48 %	33 %	46 %	37 %	34 %	36 %	21 %	32 %	76 %	26 %
 Amount of recyclable material 	% 56	% 56	% 56	% 96	% 96	% 86	% 56	% 26	% 86	% 86	92 %	% 86
Nordic Eco Label (Swan)	Pending	Yes *									Yes	
GREENGUARD indoor climate certificate	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ISO 1716 (Calorific value)	Yes											

An EPD (Environmental Product Declaration) is a document that summarises a product's environmental performance. An EPD is based on a life cycle assessment (LCA). The requirements for how an EPD is to be made are specified in the ISO 14025 standard. These standardised methods ensure that environmental information can be compared product by product, regardless of manufacturer, region or country. The GREENGUARD Indoor Air Quality Certification Program gives assurance that products designed for use in office environments and other indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors.

* Chair upholstered in Fame

Tests and Certificates

	G SoFi	HÅG SoFi HÅG SoFi HÅG		HÅG	HÅG Futu HÅG		HÅG	HÅG	нÅG н05	HÅG H05	HÅG H05 HÅG H04	HÅG H04	HÅG	нÅG	HÅG	HÅG
	<u> </u>	Comm.	Capisco	Capisco Puls		Ë	Executive	Executive Meeting		Comm.		Comm.	н03	Conventio	Conventio Conventio Tablet Arm	Tablet Arm
Ansi/Bifma (US)	Yes		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Yes	Yes
EN 1335 Class A	Yes		Yes	Yes	Yes		Yes		Yes		Yes		Yes 1			
EN 16139 (EN 13761)		Yes		Yes		Yes		Yes		Yes		Yes		Yes (Yes ¹)	(Yes ¹)	Yes
GS (DE)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Yes)	Yes	Yes
BS 5459 (GB)	Yes *)				Yes		Yes		Yes		Yes		Yes			
NPR 1813 (NL) Ye.	Yes w/3D armrest				Yes w/3D armrest				Yes		Yes					
EN 1729															Yes	
Möbelfakta (SE)	Yes		Yes	Yes	Yes		SӘД		Yes					Yes	Yes	
CAL TB 133			Yes	Yes												
CAL TB 117			Yes													

Certain assumptions have been taken. For more accurate information, please contact Customer Service Flokk. 1 Without arm rests, () Model with star base, *) Q4, 2017

Flokk's quality and environmental directives are certified according to ISO 9001, ISO 14001 and EMAS.

HÅG Total Colour Extended Collection

With minimum 5 year guarantee

If you cannot find what you are looking for in our HÅG Total Colour Standard collection, we offer a comprehensive range in our HÅG Total Colour Extended collection. We offer a 10 year guarantee on Xtreme, Fame, Capture, Sirdal & Suldal, Paloma, Steelcut Trio 3, Nexus, Comfort+ and Vadal Uni. For more details on our guarantee please see page 4. Delivery time from factory on Extended fabrics is usually 25 - 30 working days provided fabric is available from our suppliers stock.

Supplier / Collection

Bogesunds Väveri - www.bogesunds.se	Price group
Breeze	5
Global ESD	Price on request
Liv	4
Rain	5

Bute - www.butefabrics.com	Price group
Tweed	4

Camira Fabrics - www.camirafabrics.com	Price group
24/7+	3
24/7 Flax	3
Blazer	3
Era	3
Hemp	3
Main Line Flax	3
Nexus (non standard)	4
Oxygen	3
Patina	3
Rivet	3
Sprint (non-std for HÅG Capisco Puls & HÅG Conventio Wing) 3
Synergy	3
Urban	3
X2	3
Xtreme (non standard)	3

Gabriel - www.gabriel.dk	Price group
Breeze	3
Breeze Fusion	4
Capture	4
Comfort+ (non standard)	5
Crisp	3
Criss Cross	4
Elevation	3
Fame (non standard)	3
Gaja C2C	4
Gaja Classic	3
Interglobe Wool 2	3
Note (non standard)	4
Novo 2	3
Repetto	3
Step	3
Step Melange	3
Swing	4

GU - www.gu.no	Price group
Amdal	
Bardal	3
Gandal	4
Heidal	3
Hemsedal	į
Jostedal	3
Lodal	
Modal	4
Modal Mouline	4
Modal Point	4
Setesdal	4
Sirdal (non standard)	4
Suldal (non standard)	4
Vadal	4
Vadal Uni (non standard)	4

Hornschuch - www.skai.com	Price group
Etano	3
Evida (not available for HÅG Capisco Puls	3
8001,8010)	

Kvadrat - www.kvadrat.dk	Price group
Canvas	4
Clara 2	3
Divina 3	5
Divina Melange 2	5
Divina MD	5
Fiord	4
Foss	4
Galaxy	5
Hallingdal 65	4
Molly 2	4
Pro 3	4
Remix 2	4
Rime	4
Steelcut 2	4
Steelcut Trio 3 (non standard)	4
Tonus 4	4
Tonus Meadow	4

Ludvig Svensson - www.ludvigsvensson.com	Price group
Balance	5
Brink	4
Era	4
Flex	4
Ink	4
Khaki	3
Moss	5
Raw	5
Rock	4
Step	4

HÅG Total Colour Extended Collection

Price group

Dolce	4
Valencia	3
Wollsdorf - www.wollsdorfleather.com	Price group
Paloma	Price on request
Elmo - www.elmoleather.com	Price group
Elmosoft Piqué(non std)	Price on request
Nevotex - www.nevotex.se	Price group
Antistatic synthetic leather	3
Oniro - www.oniro.nl	Price group
*****	- · · · · · · · · · · · · · · · · · · ·
Puxx 1	3
Puxx 2	3

Spradling - www.spradlingvinyl.eu

HÅG Colour and Fabrics

Decorative stitching


Decorative stitching can truly add the little extra to your chair.

The 10-colour thread program is available on all textiles for the following HÅG chairs:

HÅG Capisco model 8105, 8106 and 8107

HÅG SoFi collection

HÅG H05 model 5200, 5400, 5600 and headrest



FutuKnit™ (Camira Fabrics)

FutuKnit is a fabric especially designed for the HÅG Futu precisely shaped and fitted for the back support and seat cushion. The 3D knitted fabric adjusts itself to the curvature of the body. It provides higher seating comfort through soft upholstery with no foam and no unnecessary seams while maintaining good resilient elasticity. HÅG Futu 1020-F is only available in Futuknit. 8 colours listed below are available. HÅG Futu 1020 comes with FutuKnit on the backrest face, available in Grey (FTU002) or Black (FTU001) while the seat colour can be chosen from the HÅG Total Standard Colour program. For further information please contact your HÅG dealer.

Composition: 100% polyester > 110 000 Martindale Abrasion:

Flammability: BS EN 1021 - 1-2: 2006 (Cigarette & match),

BS7176: 2007 Low Hazard

Colour fastness Dry and Wet 4 (scale 1-5)

to rubbing:

Cover.

Weight (g/m^2) :

Model 1020. Back: 231 g Seat: 188 g


Model 1070. Back: 184 g Seat: 176 g

Light fastness: 6 (scale 1-8)

Pilling: 5 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO

14001 (company)



HÅG Capisco Puls Plastic Colours



HÅG Conventio Wing Plastic Colours



Sprint (Camira Fabrics) - Price group 3

Sprint is a classic stretch knit fabric made from 100% polyester. A smooth cellular construction with a subdued finish gives a minimalistic and light expression. Sprint is only available for HAG Capisco Puls & HAG Conventio Wing.

Composition: 100% polyester Abrasion: > 100 000 Martindale

BS EN 1021: 1&2 (Cigarette & match), Flammability:


BS 7176: 2007 Low Hazard, UNI 9176 Class 1 IM,

UNI 9175 Klasse 1 IM, CA TB 117-2013

Light fastness: 6 (ISO 105-B02)

Pilling: 4/5 (BS EN ISO 12945-2)

Environmental facts: 100% free of heavy metals, ISO 14001 certified (company)



Mesh (Palmhive)

A warp knitted heavy duty mesh, using an innovative yarn construction to give increased strength which provides enhanced comfort, support and appearance. Its structure is soft and comforting with a semi-transparent effect. The mesh is available in black and light grey. Easy to combine with many fabrics and colours from the HTC collection. Mesh by Palmhive is only available for the back of HAG SoFi mesh.

Composition: 100% polyester Abrasion resistance: 150.000

Flammability: BS EN 1021: 1 -2: 2014 4-5 (EN-ISO 12945-2) Pilling: Environmental facts: Oeko-Tex® Standard 100





Mesh black MEH 001

Mesh light grey MEH 002

HÅG Total Colour Standard collection

- with 10 year guarantee as standard or 5 year guarantee on 24/7 use

HÅG Total Colour (HTC) Standard is our collection of fabrics, leather and other materials. The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leather in our Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements.

Delivery time from factory is 15-20 working days after order has been registered. Transport days to be added.

Maintenance: Please vacuum with a furniture brush then use a clean cloth or sponge slightly dampened with clean lukewarm water.

Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local HÅG supplier to view a sample.

Xtreme (Camira Fabrics) - Price group 1

Xtreme is a crêpe fabric made from 100% recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.


Composition: 100% recycled polyester Abrasion resistance: 100 000 Martindale

Flammability: BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard,

BS 5852 Section 4 Crib 5, DIN 4102 B1,

UNI 9175 Class 1
Light fastness: 6 (ISO 105 - B02: 2013)
Pilling: 5 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Fame (Gabriel) - Price group 2

Fame is a tightly woven fabric of worsted wool and polyamide, combining excellent durability and incredible softness.

Composition: 95% wool, 5% polyamide Abrasion resistance: 200 000 Martindale

Flammability:: BS S EN 1021: 1–2, BS 5852, Crib 5, Calif. Bull. 117-2013, IMO MSC 307(88) Annex 1 part 8,

NFP 92-503:M2 (Zirpro), ÖNORM B 3825-B1-3800-Q1 UK (Flovan)

Light fastness: 5-7 (EN ISO 105 - B02)
Pilling: 4 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Capture (Gabriel) - PG 3


Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strength. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% wool, 15% polyamide Abrasion resistance: 200 000 Martindale

Flammability: BS EN 1021: 1–2, BS 5852 Part 1 0,1 (Cigarette & match), Calif. Bull. 117-2013

Light fastness: 5-7 (EN ISO 105-B02)
Pilling: 4-5 (EN-ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Nexus (Camira Fabrics) - Price group 3


Nexus is a polyester knit in a sleek and stylish pinprick dot matrix design effect giving a granulated structured surface. The black yarn foundation highlights the structured surface in combination with fresh but subtle colours.

Composition: 100% polyester Abrasion resistance: 100 000 Martindale

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low Hazard

Light fastness: 5 (ISO 105 - B02: 2013)
Pilling: 4/5 (BS EN ISO 12945-2)

Environmental facts: 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001



Note (Gabriel) - Price group 3

Note is a soft and noble fabric which, with its classic satin structure, allows the wool's natural lustre to shine and impress.

Composition: 85% worsted wool, 15% polyamide

Abrasion resistance: 200 000 Martindale

Flammability: EN 1021 1&2, BS 5852 0&1, BS 5852 crib 5,


IMO 307 (88) Annex 1 part 8, IMO MSC 307(88) Annex 1 part 8, Calif. Bull. 117-2013

Light fastness: 5-8

Pilling: 4 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, Manufacturing process -

fully compliant with ISO 14001



Patina (Camira) - PG 3

Patina has a high content of natural fibers, combining wool and flax for a delicate feel. Drawing inspiration from Pattern in Nature revealed to us by its fine structure and carefully balanced colours. It is about designing with nature to achieve beauty with performance.


Composition: 69% Wool, 22% Flax, 8% Polyamide, 1% Viscose

Abrasion resistance: > 100 000 Martindale

Flammability: BS EN 1021: 1–2, BS 7176, BS 5852

Light fastness: 5 (EN ISO 105-B02)

Environmental facts: EU Ecolabel, 100% free of heavy metals



Steelcut Trio 3 (Kvadrat) - Price group 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. (Not available for HÅG Capisco Puls).

Composition: 90% worsted new wool, 10% polyamide

Abrasion resistance: 100 000 Martindale

Flammability: AS/NZS 3837, Class 2, BS 5852, ig. s. 2-3, DIN 4102 B2, ÖNORM B1/

Q1, EN1021-1/2, IMO MSC 307(88) Annex 1 part 8, NF D 60 013, NFPA 260, UNI 9175,

1IM, Calif. Bull. 117-2013

Light fastness: 5–7 (ISO 1–8)
Pilling: 4 (BS EN ISO 12945-2)

Environmental facts: EU Ecolabel



Comfort+ (Gabriel) - Price group 4

Comfort+ has a uniform stretchability and excellent non-pilling properties. A unique combination of fibres giving a durable soft surface.

Composition: 51% polyester, 37% recycled polyester, 12% polyurethane

Abrasion resistance: 150 000 Martindale


Flammability: BS EN 1021: 1–2 (Cigarette & match), Calif. Bull. 117-2013, NFP 92-503:M3,

ÖNORM B 3825-B2-3800-Q1 UK (Flovan), UNI 9175 1IM, BS 5852 Part 1 0,1 (Cigarette &

match)

Light fastness: 5-7 (EN ISO 105-B02)
Pilling: 5 (BS EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals



Shimmer (Innvik Sellgren) - Price group 4

Satin-woven worsted wool combined with polyamide. The weave and fibre combination yields an irregular, glittering effect.

Composition: 80% wool, 20% recycled polyester

Abrasion resistance: 104 000 Martindale

Flammability: BS EN 1021: 1–2 (Cigarette & match)

Light fastness: 5-7 Pilling: 4-5

Environmental facts: Manufacturing process – fully compliant with ISO 14001



SHI 099

Sirdal and Suldal (GU) - Price group 4

Sirdal and Suldal are part of the 100% Norwegian wool trio Sirdal, Suldal and Setesdal. These fabrics are uniquely short-travelled in every part of the process – 100% pure Norwegian wool manufactured in Norway.

Norwegian wool with its distinctive brilliance, resilience and durability is expressed through rich structures that evoke authenticity paired with chic and modern comfort.

Composition: 100% New Norwegian wool

Abrasion resistance: > 57 000 Martindale

Flammability: FTP code: Part 8 IMO MSC 307(88) Annex 1 part 8, EN ISO 12947-2:1999

Light fastness: 5-7

Pilling: 3-4 (BS EN ISO 12947-2)

Environmental facts: Locally produced, 100% free of heavy metals







SRD 190

SUL 180

SUL 810

SRD 730

Vadal Uni (GU) - Price group 4

High quality, fine felted new wool fabric with an inviting appearance and a warm touch.

Composition: 92% new wool, 8% polyamide

Abrasion resistance: 102 000 Martindale

Flammability: BS EN 1021: 1-2 (Cigarette & match), IMO MSC 307(88) Annex 1 part 8

Light fastness: 5-7

Pilling: 3-4 (BS EN ISO 12947-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, Manufacturing process - fully compliant with ISO

14001



VAU 191

Paloma Soft (Wollsdorf) - Price group 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO MSC 307(88) Annex 1 part 8

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 1000/4 - Sweat 50/4 - ISO11640

Finish-adhesion: \geq 2.5 N/CM - ISO 11644 Tear-strength: \geq 20 N DIN EN ISO 3377-1

Environmental facts: 100% free of heavy metals, tanned without using chromium salts. BlueAngel,

ECO₂L-certificate











ATG 55130 ATG 55115

G 55115 ATG 55206

ATG 56100



Flokk is the market leader in the design, development and production of workplace furniture in Europe. We are the proud owner of product brands HÅG, RH, Giroflex, BMA, Offecct and RBM. About 700 employees work together to realize the vision of our company:

Inspire great work.

Our head office is in Oslo, Norway. We have production units in Røros (Norway), in Zwolle (the Netherlands), in Koblenz (Switzerland) and in Tibro and Nässjö (Sweden). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, China and Australia. Flokk products are sold in more than 40 countries.

Zastoupení HAG pro ČR: NORDESIGN s.r.o. V Hůrkách 2139 15800 Praha 5 tel: 602207144

Headquarters Flokk Fridtjof Nansens vei 12 | P.O. Box 5055 Majorstuen NO-0301 Oslo | Norway Tel: +47 22 59 59 00 | Fax: +47 22 59 59 59

Customer service +47 72 40 72 40

Email: info-gpo@flokk.com

Web: www.haq-global.com | www.flokk.com