

Vzorník potahových materiálů HAG 2018

Decorative stitching


Decorative stitching can truly add the little extra to your chair.

The 10-colour thread program is available on all textiles for the following HÅG chairs:

HÅG Capisco model 8105, 8106 and 8107

HÅG SoFi collection

HÅG H05 model 5200, 5400, 5600 and headrest



4908
Purple

1226
Yellow

6968
Turquoise

3822
Red

9389
Silver Grey

9582
Grey

8569
Beige

8135
Warm White

1712
Cold White

9700
Black

FutuKnit™ (Camira Fabrics)

FutuKnit is a fabric especially designed for the HÅG Futu precisely shaped and fitted for the back support and seat cushion. The 3D knitted fabric adjusts itself to the curvature of the body. It provides higher seating comfort through soft upholstery with no foam and no unnecessary seams while maintaining good resilient elasticity. HÅG Futu 1020-F is only available in Futuknit. 8 colours listed below are available. HÅG Futu 1020 comes with FutuKnit on the backrest face, available in Grey (FTU002) or Black (FTU001) while the seat colour can be chosen from the HÅG Total Standard Colour program. For further information please contact your HÅG dealer.

Composition:	100% polyester
Abrasion:	> 110 000 Martindale
Flammability:	BS EN 1021 – 1-2: 2006 (Cigarette & match), BS7176: 2007 Low Hazard
Colour fastness to rubbing:	Dry and Wet 4 (scale 1–5)
Weight (g/m ²):	Cover. Model 1020. Back: 231 g Seat: 188 g Model 1070. Back: 184 g Seat: 176 g
Light fastness:	6 (scale 1–8)
Pilling:	5 (BS EN ISO 12945-2)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 (company)



FTU 008

FTU 007

FTU 006

FTU 005

FTU 004

FTU 003

FTU 002

FTU 001

HÅG Capisco Puls Plastic Colours




HÅG Conventio Wing Plastic Colours



Sprint (Camira Fabrics) - Price group 3

Sprint is a classic stretch knit fabric made from 100% polyester. A smooth cellular construction with a subdued finish gives a minimalistic and light expression. **Sprint is only available for HÅG Capisco Puls & HÅG Conventio Wing.**

Composition:	100% polyester
Abrasion:	> 100 000 Martindale
Flammability:	BS EN 1021: 1&2 (Cigarette & match), BS 7176: 2007 Low Hazard, UNI 9176 Class 1 IM, UNI 9175 Klasse 1 IM, CA TB 117-2013
Light fastness:	6 (ISO 105-B02)
Pilling:	4/5 (BS EN ISO 12945-2)
Environmental facts:	100% free of heavy metals, ISO 14001 certified (company)



Mesh (Palmhive)

A warp knitted heavy duty mesh, using an innovative yarn construction to give increased strength which provides enhanced comfort, support and appearance. Its structure is soft and comforting with a semi-transparent effect. The mesh is available in black and light grey. Easy to combine with many fabrics and colours from the HTC collection. **Mesh by Palmhive is only available for the back of HÅG SoFi mesh.**

Composition:	100% polyester
Abrasion resistance:	150.000
Flammability:	BS EN 1021: 1 -2: 2014
Pilling:	4-5 (EN-ISO 12945-2)
Environmental facts:	Oeko-Tex® Standard 100



HÅG Total Colour Standard collection

– with 10 year guarantee as standard or 5 year guarantee on 24/7 use

HÅG Total Colour (HTC) Standard is our collection of fabrics, leather and other materials. The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leather in our Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements.

Delivery time from factory is 15-20 working days after order has been registered. Transport days to be added.


Maintenance: Please vacuum with a furniture brush then use a clean cloth or sponge slightly dampened with clean lukewarm water.

Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local HÅG supplier to view a sample.

Xtreme (Camira Fabrics) - Price group 1

Xtreme is a crêpe fabric made from 100% recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.


Composition:	100% recycled polyester
Abrasion resistance:	100 000 Martindale
Flammability:	BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1
Light fastness:	6 (ISO 105 - B02: 2013)
Pilling:	5 (BS EN ISO 12945-2)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Fame (Gabriel) - Price group 2

Fame is a tightly woven fabric of worsted wool and polyamide, combining excellent durability and incredible softness.


Composition:	95% wool, 5% polyamide
Abrasion resistance:	200 000 Martindale
Flammability:	BS S EN 1021: 1–2, BS 5852, Crib 5, Calif. Bull. 117-2013, IMO MSC 307(88) Annex 1 part 8, NFP 92-503:M2 (Zirpro), ÖNORM B 3825-B1-3800-Q1 UK (Flován)
Light fastness:	5-7 (EN ISO 105 - B02)
Pilling:	4 (BS EN ISO 12945-2)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Capture (Gabriel) - PG 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strength. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.


Composition:	85% wool, 15% polyamide
Abrasion resistance:	200 000 Martindale
Flammability:	BS EN 1021: 1-2, BS 5852 Part 1 0,1 (Cigarette & match), Calif. Bull. 117-2013
Light fastness:	5-7 (EN ISO 105-B02)
Pilling:	4-5 (EN-ISO 12945-2)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals



Nexus (Camira Fabrics) - Price group 3

Nexus is a polyester knit in a sleek and stylish pinprick dot matrix design effect giving a granulated structured surface. The black yarn foundation highlights the structured surface in combination with fresh but subtle colours.


Composition:	100% polyester
Abrasion resistance:	100 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low Hazard
Light fastness:	5 (ISO 105 - B02: 2013)
Pilling:	4/5 (BS EN ISO 12945-2)
Environmental facts:	100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001



Note (Gabriel) - Price group 3

Note is a soft and noble fabric which, with its classic satin structure, allows the wool's natural lustre to shine and impress.


Composition:	85% worsted wool, 15% polyamide
Abrasion resistance:	200 000 Martindale
Flammability:	EN 1021 1&2, BS 5852 0&1, BS 5852 crib 5, IMO 307 (88) Annex 1 part 8, IMO MSC 307(88) Annex 1 part 8, Calif. Bull. 117-2013
Light fastness:	5-8
Pilling:	4 (BS EN ISO 12945-2)
Environmental facts:	EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001



Patina (Camira) – PG 3

Patina has a high content of natural fibers, combining wool and flax for a delicate feel. Drawing inspiration from Pattern in Nature revealed to us by its fine structure and carefully balanced colours. It is about designing with nature to achieve beauty with performance.

Composition:	69% Wool, 22% Flax, 8% Polyamide, 1% Viscose
Abrasion resistance:	> 100 000 Martindale
Flammability:	BS EN 1021: 1–2, BS 7176, BS 5852
Light fastness:	5 (EN ISO 105-B02)
Environmental facts:	EU Ecolabel, 100% free of heavy metals



Steelcut Trio 3 (Kvadrat) - Price group 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. (Not available for HÅG Capisco Puls).


Composition:	90% worsted new wool, 10% polyamide
Abrasion resistance:	100 000 Martindale
Flammability:	AS/NZS 3837, Class 2, BS 5852, ig. s. 2-3, DIN 4102 B2, ÖNORM B1/Q1, EN1021-1/2, IMO MSC 307(88) Annex 1 part 8, NF D 60 013, NFPA 260, UNI 9175, 1IM, Calif. Bull. 117-2013
Light fastness:	5–7 (ISO 1–8)
Pilling:	4 (BS EN ISO 12945-2)
Environmental facts:	EU Ecolabel



Comfort+ (Gabriel) - Price group 4

Comfort+ has a uniform stretchability and excellent non-pilling properties. A unique combination of fibres giving a durable soft surface.

Composition:	51% polyester, 37% recycled polyester, 12% polyurethane
Abrasion resistance:	150 000 Martindale
Flammability:	BS EN 1021: 1–2 (Cigarette & match), Calif. Bull. 117-2013, NFP 92-503:M3, ÖNORM B 3825-B2-3800-Q1 UK (Flován), UNI 9175 1IM, BS 5852 Part 1 0,1 (Cigarette & match)
Light fastness:	5–7 (EN ISO 105-B02)
Pilling:	5 (BS EN ISO 12945-2)
Environmental facts:	Oeko-Tex® Standard 100, 100% free of heavy metals



Shimmer (Innvik Sellgren) - Price group 4

Satin-woven worsted wool combined with polyamide. The weave and fibre combination yields an irregular, glittering effect.

Composition:	80% wool, 20% recycled polyester
Abrasion resistance:	104 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match)
Light fastness:	5-7
Pilling:	4-5
Environmental facts:	Manufacturing process – fully compliant with ISO 14001



SHI 099

Sirdal and Suldal (GU) - Price group 4

Sirdal and Suldal are part of the 100% Norwegian wool trio Sirdal, Suldal and Setesdal. These fabrics are uniquely short-travelled in every part of the process – 100% pure Norwegian wool manufactured in Norway.

Norwegian wool with its distinctive brilliance, resilience and durability is expressed through rich structures that evoke authenticity paired with chic and modern comfort.

Composition:	100% New Norwegian wool
Abrasion resistance:	> 57 000 Martindale
Flammability:	FTP code: Part 8 IMO MSC 307(88) Annex 1 part 8, EN ISO 12947-2:1999
Light fastness:	5-7
Pilling:	3-4 (BS EN ISO 12947-2)
Environmental facts:	Locally produced, 100% free of heavy metals



SRD 190



SUL 180



SUL 810



SRD 730

Vadal Uni (GU) - Price group 4

High quality, fine felted new wool fabric with an inviting appearance and a warm touch.

Composition:	92% new wool, 8% polyamide
Abrasion resistance:	102 000 Martindale
Flammability:	BS EN 1021: 1-2 (Cigarette & match), IMO MSC 307(88) Annex 1 part 8
Light fastness:	5-7
Pilling:	3-4 (BS EN ISO 12947-2)
Environmental facts:	EU Ecolabel, 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001



VAU 191

Paloma Soft (Wollsdorf) - Price group 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability:	BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO MSC 307(88) Annex 1 part 8
Light fastness:	6 (EN ISO 105-B02)
Rubbing:	Wet 80/4 - Dry 1000/4 - Sweat 50/4 - ISO11640
Finish-adhesion:	≥ 2.5 N/CM - ISO 11644
Tear-strength:	≥ 20 N DIN EN ISO 3377-1
Environmental facts:	100% free of heavy metals, tanned without using chromium salts. BlueAngel, ECO ₂ L-certificate

