

Ceník HAG 2019

maloobchodní ceny bez DPH

HAG

Celebrating movement



Content

| | |
|--------------------------------------|----|
| General Terms | 4 |
| HÅG SoFi® | 6 |
| HÅG Capisco® | 8 |
| HÅG Capisco Puls® | 9 |
| HÅG Futu® | 10 |
| HÅG Executive | 12 |
| HÅG H05® | 17 |
| HÅG H04® | 20 |
| HÅG H03® | 22 |
| HÅG Conventio® | 23 |
| HÅG Conventio Wing® | 25 |
| HÅG Accessories | 27 |
| Main spare parts | 28 |
| Physical measurements | 34 |
| Tests and Certificates | 38 |
| HÅG Fast | 40 |
| HÅG Total Colour Extended Collection | 41 |
| HÅG Colour and Fabrics | 43 |
| HÅG Total Colour Standard Collection | 45 |

General Terms

Standard dispatch times

Dispatch times

HÅG Fast (after order has been registered)
HÅG Total Colour Standard
HÅG Total Colour Extended
Special and COM
Transport-days must be added.

Working days

10 - 15
15 - 20
25 - 30*
on request

* Provided that the supplier has the fabric in stock.
Longer delivery times may occur periodically, during holidays and for large orders.

Order Entry Specifications

When placing your order please remember to specify the following information:

- Chair model
- Number of chairs
- Fabric/Leather and Colour Code
- Plastic colour on HÅG Conventio Wing
- Plastic colour on HÅG Capisco Puls
- Colour on base
- Type of castors or glides
- Delivery date
- Delivery address

Colour on base.

Where a base is specified in black, other metal components will be in black also. Similarly, chairs on silver bases have metal components in silver. Other metal colours need to be specified for chairs with polished aluminium bases (extra cost option). Specified combinations are defined for:

HÅG SoFi
HÅG Executive
HÅG H05 Communication

Castors

Both hard and soft castors and glides are supplied according to EN1335 Class A standard, and must be specified at time of order (soft for hard flooring, hard for soft flooring). Additional castor options are available on request, but must be specified at time of order and the delivery lead time may be increased. Price on application.

Packaging material - recycling

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.
If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

Prices

All prices are recommended retail prices in Euro excl. VAT.
Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Delivery Terms

EX WORKS ref. Incoterms 2010.

In the case that goods have been damaged in transit, the recipient/customer must inform the supplier within 48 hours of receipt.

HÅG Warranty

General terms and conditions.

Flokk's warranty covers all HÅG chairs against material and manufacturing faults and defects from the chair's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Wear and tear must be expected from normal use and are not covered by the warranty. Unless otherwise is specified, the maximum weight for users is 110 kg. The warranty is conditional on the chair and fabrics/leather undergoing normal cleaning. The guarantee does not cover the consequence of wear and stains when choosing a light (white) colour for plastic or metal components.

10 year warranty for HÅG products and accessories

Flokk provides a 10 year warranty for all HÅG chairs and accessories that are in normal use for up to 9 hours per day. Please also see the general warranty terms and conditions.

24/7 – 5 year warranty.

Flokk provides a 5 year warranty for HÅG chairs that are specifically purchased for 24 hour use and which are upholstered in 24/7 approved fabrics/leather from Flokk's Standard Fabric program. Please also see the general warranty terms and conditions.

>9 hours/day – 5 year warranty.

Flokk provides a 5 year warranty for all HÅG chairs that are in normal use for more than 9 hours per day. Please also see the general warranty terms and conditions.

Spare parts guarantee.

Flokk guarantees the delivery of spare parts for a minimum of 10 years after the chair's production date. The guarantee covers the parts necessary to maintain the chair's original functionality.

HÅG Total Colour (HTC) collection

HÅG Total Colour (HTC) Standard fabric/colour program.

Flokk provides a 10 year warranty for fabrics/leather from the HTC Standard collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 5 year warranty for fabrics/ leather from the HTC Standard collection when the chair is in normal use for more than 9 hours per day.

HÅG Total Colour (HTC) Extended fabric/colour program.

Flokk provides a 5 year warranty for fabrics/leather from the HTC Extended collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the HTC Extended collection are available with a 5 year warranty for 24 hour use (for use of more than 9 hours per day).

Special or Customer specified fabrics/leather.

If the fabrics in the HÅG Total Colour (HTC) Standard or Extended collections are not what you are looking for, please contact Customer Service at Flokk, email: info-gpo@flok.com. The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery. This does not affect your rights and obligations under local law. Customer specified fabrics/leather can only be used following approval by Flokk.

Approvals and Certifications

Flokk is ISO 9001 accredited. The German test institutes, LGA and Intertek, have approved and issued the GS certificate (Geprüfte Sicherheit) for a number of HÅG products.

- HÅG task chairs are tested in accordance with both EN 1335 Type A (European office chair standard) and ANSI Bifma (American standard).
- HÅG conference and visitor chairs are tested in accordance with EN 13761, EN 16139 and the ANSI Bifma standard.
- HÅG SoFi, HÅG Futu, HÅG H04, HÅG H05 and HÅG Executive are tested according to British Standard BS 5459-2, a commonly used standard for intensive use (24 hours).

EN 1335 is a European Standard for office chairs and considers dimensions of the chair, safety requirements and safety test methods. The European Standard tests are based on 8 hours daily use by persons weighing up to 110 kg (17¼ stone).

The British Standard (BS 5459-2) tests that the chair will be suitable for more than 8 hours daily use and for persons weighing up to 150 kg (23½ stone).

The majority of HÅG products are tested and approved according to the Swedish Möbelfakta requirements.

ESD (Electro Static Discharge).

We can supply HÅG H04 4100, HÅG H05 5400, HÅG Capisco Puls 8001, 8010 and HÅG Capisco 8106 as ESD chairs upholstered in anti-static synthetic leather (Nevotex) or Global ESD (Bogesunds). For HÅG Capisco Puls the price will be price group 5 + 25%. Flokk provides a 5 year warranty on ESD chairs, conditional on castors and upholstery being cleaned regularly with a suitable cleaning agent. ESD chairs are only available in silver painted aluminium.

Cleanroom

We can supply HÅG Capisco Puls 8010 for Cleanroom, upholstered in Antistatic synthetic leather (please see HÅG Total Colour Extended Collection for further info). Flokk provides a 5 year warranty on cleanroom finished chairs, conditional on castors and upholstery being cleaned regularly with a suitable cleaning agent.

Maintenance guide

Care of fabric upholstery:

Regular vacuum cleaning is recommended. Vacuum clean the chair with a furniture brush or wipe it with a clean white cloth or sponge slightly dampened with lukewarm, clean water. Marks and stains should be removed with a proprietary cleaner.

Care of leather upholstery:

Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat-source.

Do not remove any plastic parts or attempt to open the seating mechanism.

Contact your Flokk dealer if the chair requires servicing or other maintenance. For additional maintenance advice please contact our customer service team or our website Flokk.com.

End of life – recycling

We encourage you to ensure recycling of your chair and its various components, according to the 'end of life matrix' described in your chair's user manual. Please dispose your chair/components using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to dispose or return your chair after use, please inform your contact person within Flokk.

Fire resistant foam

Flame resistant foam is available on request, but must be specified at time of order and adds approximately two to five weeks to delivery lead times. Price on application. CHMR foam must be specified on chairs intended for domestic use.

Change/cancellation of orders

Change/cancellation of orders on chairs or upholsteries is possible up until production has begun. Each amended or cancelled order will incur a charge of Euro 50 per order. Once production has started orders cannot be changed. Change of orders within the HÅG Fast collection are not possible.

For further information regarding change /cancellation of orders, please feel free to contact our Customer Service department.




Customer Service

Flokk
Phone: +47 7240 7240
E-mail: info-gpo@flokk.com

Flokk reserves the right to make small construction alterations without notice.

HÅG SoFi® – task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Seat height adjustment
- Adjustable lumbar support
- Adjustable tilting resistance forwards and backwards
- Lockable tilt
- Five star base (Ø730 mm) in aluminium with footplates. Standard aluminium in black with black plastic, silver or white with light grey plastic parts. Optionally in polished aluminium. Please specify colour at time of order
- Castors for hard or soft flooring. Must be specified at time of order
- 165 mm lift (Seat height: 395-545 mm)
- Painted aluminum colours: black, silver or white
- Plastic colours: black or light grey

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|--|--|-------|-------|-------|-------|-------|-------|-------|
| 7500 | HÅG SoFi 7500 • Mesh back. The mesh back comes in black (MEH001) or grey (MEH002). • High back |  | 20216 | 20636 | 21392 | 22232 | 23044 | 26516 | |
| 7200 | HÅG SoFi 7200 • Medium back |  | 23996 | 24668 | 25760 | 27048 | 30240 | 33404 | |
| 7300 | HÅG SoFi 7300 • High back |  | 25396 | 26068 | 27216 | 28588 | 29904 | 35280 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | | | | | | | |
|---|------|------|------|------|------|------|------|
| Headrest HÅG SoFi | 5684 | 5824 | 6020 | 6216 | 6468 | 7448 | |
| Adjustable armrests in plastic with soft tops (width 92 mm) and stem in painted aluminium | | | | | | | 4788 |
| - Surcharge for armrests in painted aluminium with soft tops (width 102 mm) and stem in aluminium | | | | | | | 784 |
| - Surcharge for armrests in black plastic with soft tops (width 92 mm) and stem in polished aluminium | | | | | | | 1652 |
| - Surcharge for armrests in polished aluminium with soft tops (width 102 mm) and stem in polished aluminium | | | | | | | 3444 |
| - Surcharge for armrests with HÅG SlideBack | | | | | | | 1204 |
| - Surcharge for armrests with leather tops, black or dark grey (For armrest in aluminium) | | | | | | | 1932 |
| - Surcharge for armrests with 3D tops (for armrest in plastic) | | | | | | | 1064 |
| 200 mm lift | | | | | | | 280 |
| HÅG FootRing** | | | | | | | 3080 |
| Footbase (Ø730 mm) in polished aluminium | | | | | | | 3080 |
| Decorative stitching* | | | | | | | 2548 |
| Coat hanger, black plastic, Not applicable with headrest. Available Q2. (Only for: 7500) | | | | | | | 1344 |

* Available for all models, but only for seat on HÅG SoFi with mesh back. Please see HÅG Colour and Fabrics for additional information.

** Must be ordered together with 200 mm lift

HÅG SoFi® – Communication chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Seat height adjustment
- Lumbar support
- Four star aluminum base (Ø785 mm) available in black, silver or white as standard with polished aluminum as an optional extra. Mechanism cover is black when ordering black base and light grey when ordering silver or white base. Please specify when placing your order.
- Plastic glides for soft flooring or felt glides for hard flooring. Must be specified at time of order.
- 165 mm lift (Seat height: 400-550 mm)
- Painted aluminum colours: black, silver or white
- Plastic colours: black or light grey

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|--|--|-------|-------|-------|-------|-------|-------|-------|
| 7502 | HÅG SoFi Communication 7502 • Mesh back. The mesh back comes in black MEH001 or grey MEH002. • High Back |  | 14308 | 14588 | 15120 | 15708 | 16268 | 18704 | |
| 7202 | HÅG SoFi Communication 7202 • Medium back |  | 17304 | 17668 | 17312 | 19012 | 19740 | 22708 | |
| 7302 | HÅG SoFi Communication 7302 • High back |  | 18788 | 19180 | 19880 | 20636 | 21420 | 24640 | |

Accessories/Options






(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|---|----------|
| Adjustable armrests in plastic with soft tops (width 92 mm) and stem in painted aluminium | 4788 |
| - Surcharge for armrests in painted aluminium with soft tops (width 102 mm) and stem in aluminium | 784 |
| - Surcharge for armrests in black plastic with soft tops (width 92 mm) and stem in polished aluminium | 1652 |
| - Surcharge for armrests in polished aluminium with soft tops (width 102 mm) and stem in polished aluminium | 3444 |
| - Surcharge for armrests with leather tops, black or dark grey (For armrest in aluminium) | 1932 |
| Four star base (Ø785 mm) in polished aluminium | 2100 |
| Five star base (Ø730 mm) in painted aluminium, black or silver, with castors (as for task chair) | na dotaz |
| Five star base (Ø730 mm) in polished aluminium with castors (as for task chair) | 3024 |
| Decorative stitching* | 2548 |

* Available for all models, but only for seat on HÅG SoFi with mesh back. Please see HÅG Colour and Fabrics for additional information.

HÅG Capisco® - task chairs

- HÅG in Balance® (balanced, flowing tilt function)
- Adjustable tilt tension backwards (not available for 8105)
- Seat height adjustment
- Seat depth adjustment (not available for 8105)
- Back height adjustment (not available for 8105)
- Lockable seat (not available for 8105)
- Suitable for all working surfaces with table height of 72 cm and higher
- Five star base in aluminium (Ø730 mm) with curved/arched footplates, black, silver or white, optionally in polished aluminium (see options below). Please specify colour at time of order
- 200 mm lift (Seat height: 470-655 mm). 265 mm lift standard for 8105 (Seat height: 530-790 mm)

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|---|-------|-------|-------|-------|-------|-------|-------|
| 8105 | HÅG Capisco 8105 |  | 12572 | 12740 | 13272 | 13804 | 14812 | 16436 | |
| 8106 | HÅG Capisco 8106 • Available as electro static discharged (ESD) chair (PG 6 + 10%) |  | 30436 | 30856 | 32200 | 33404 | 34412 | 39956 | |
| 8107 | HÅG Capisco 8107 • Headrest (only available in silver and black) |  | 36456 | 37072 | 38752 | 40292 | 41244 | 47992 | |
| 8126 | HÅG Capisco 8126 |  | 30436 | 30856 | 32200 | 33404 | 34412 | 39956 | |
| 8127 | HÅG Capisco 8127 • Headrest (only available in silver and black) |  | 36456 | 37072 | 38752 | 40292 | 41244 | 47992 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)





| | |
|--|------|
| 150 mm lift | 0 |
| 265 mm lift (glides are recommended, no additional charge) | 252 |
| Telescopic lift cover | 364 |
| Five star base (Ø730 mm) in polished aluminium | 3276 |
| Decorative stitching* | 2548 |
| HÅG StepUp | 4368 |
| HÅG FootRing** | 3080 |

* Available for model 8105, 8106 and 8107. Please see HÅG Colour and Fabrics for additional information.

** Must be ordered together with 200 or 265 mm lift

HÅG Capisco Puls® - task chairs

- HÅG in Balance® (balanced, flowing tilt function)
- Adjustable tilt tension backwards (not available for 8001 and 8002)
- Seat height adjustment
- Seat depth adjustment (not available for 8001 and 8002)
- Back height adjustment (not available for 8001 and 8002)
- Lockable seat (not available for 8001 and 8002)
- Suitable for all working surfaces with table height of 72 cm and higher
- Seat and backrest available in 8 different colours: Clay, Pink, Sea Green, Petroleum, Light Grey, Black, White and Red. Please specify colour at time of order.
- For ESD models, seat and back are only available in black.
- Five star base (Ø730 mm) in aluminium with curved/arched footplates, black, silver or white, optionally in polished aluminium or black plastic base (Ø700 mm). Please specify colour at time of order.

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | Price |
|---------|--|---|-------|-------|-------|-------|-------|-------|
| 8001 | HÅG Capisco Puls 8001 • Pad available in all HTC Standard fabrics and leather*** • Seat height: 540-770 mm • 265 mm lift • Available as electro static discharged (ESD) chair (PG 5 + 25 %).**** |  | 8876 | 9044 | 9548 | 9800 | 10556 | |
| 8002 | HÅG Capisco Puls 8002 • Removable seat cushion in Nexus, Sprint or Evida* • Seat height: 555-785 mm • 265 mm lift |  | | | 11844 | 12264 | | |
| 8010 | HÅG Capisco Puls 8010 • Available for Cleanroom upholstered in Antistatic synthetic leather • Pad available in all HTC Standards and leather*** • Seat height: 455-640 mm • 200 mm lift • Available as electro static discharged (ESD) chair (PG 5 + 25 %).**** |  | 12180 | 12404 | 12936 | 13384 | 14448 | |
| 8020 | HÅG Capisco Puls 8020 • Removable seat cushion in Nexus, Sprint or Evida* • Seat height: 470-650 mm • 200 mm lift |  | | | 14140 | 14616 | | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|--|------|
| 150 mm lift | 0 |
| 265 mm lift (glides are recommended, no additional charge) | 252 |
| Telescopic lift cover | 364 |
| Five star base (Ø730 mm) in polished aluminium | 3276 |
| HÅG FootRing** | 3080 |
| HÅG StepUp | 4368 |

* Removable seat cushion for HÅG Capisco Puls 8002 and 8020 are only available in the following fabrics: Nexus and Sprint (Camira) or Evida (skai by Hornschuch). Evida has delivery time as extended. Nexus and Sprint (Standard colours) and Evida (Extended colours) are price group 3. Nexus and Sprint in Extended colours are price group 4.


** Must be ordered together with 200 or 265 mm lift

*** Pad available in all HTC Standard fabrics and leather except Steelcut Trio and Paloma leather



**** Seat and back only available in black

HÅG Futu® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Adjustable lumbar support
- Seat height adjustment
- Adjustable forwards and backwards tilting resistance
- Lockable tilt
- Aluminium five star base (Ø730 mm) with foot supports, black or silver
- 165 mm lift (Seat height: 400-550 mm)
- Painted aluminum colours: black or silver
- Plastic colour: black

| Item no | Base model + | Price Group (PG) | Price |
|---------|---|---|-------|
| 1100-S | HÅG Futu 1100-S • FutuKnit mesh on backrest. FutuKnit solid on seat. |  | 17052 |

| | | | |
|--------|--|---|-------|
| 1200-S | HÅG Futu 1200-S • FutuKnit solid on seat and face of backrest. • Adjustable lumbar support |  | 18312 |
|--------|--|---|-------|

| | | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|------|--|---|-------|-------|-------|-------|-------|-------|
| 1100 | HÅG Futu mesh 1100 • FutuKnit mesh on backrest. • Standard fabric on seat. |  | 17164 | 17500 | 18032 | 18732 | 19432 | 22344 |
| 1200 | HÅG Futu 1200 • FutuKnit only on face of backrest. • Standard fabric on seat. • Adjustable lumbar support |  | 18368 | 18760 | 19404 | 20188 | 20944 | 24080 |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|--|------|
| - Surcharge for armrests with black leather tops | 1652 |
| - Surcharge for armrests with 3D tops | 1904 |
| Adjustable armrests, black plastic | 1904 |
| Five star base (Ø730 mm) in black plastic | -672 |
| Five star base (Ø730 mm) in polished aluminium | 3080 |
| HÅG Footring** | 3080 |
| 200 mm lift | 280 |
| Lumbar support (Only for: 1100, 1100-S) | 868 |

** Must be ordered together with 200 mm lift

HÅG Futu® Communication

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Seat height adjustment
- Aluminium four star base (Ø785 mm), black or silver
- 165 mm lift (Seat height: 400-550 mm)
- Painted aluminum colours: black or silver
- Plastic colour: black

| Item no | Base model + | Price Group (PG) | Price |
|---------|--|---|-------|
| 1102-S | HÅG Futu 1102-S <ul style="list-style-type: none">• FutuKnit mesh on backrest.• FutuKnit solid on seat. |  | 13104 |

| | | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|------|---|---|-------|-------|-------|-------|-------|-------|
| 1102 | HÅG Futu mesh Communication <ul style="list-style-type: none">• FutuKnit mesh on backrest.• Standard fabric on seat. |  | 13300 | 13580 | 14000 | 14532 | 15064 | 17332 |







Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|--|------|
| Adjustable armrests, black plastic | 1904 |
| - Surcharge for armrests with black leather tops | 1652 |
| Four star base (Ø785 mm) in polished aluminium | 2100 |
| Five star base (Ø730 mm) in aluminium - silver/black | 0 |
| Five star base (Ø730 mm) in polished aluminium | 3080 |
| Five star base (Ø730 mm) in black plastic | -672 |

HÅG® Executive - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Adjustable forwards and backwards tilting resistance
- Seat height adjustment
- Seat depth adjustment
- Adjustable lumbar support on all models
- Adjustable headrest on model 9031, 9231 and 9331
- Tilt lockable in three positions
- HÅG TiltDown™ armrests (tilt down, height and width) with black leather top
- Five star base (Ø740 mm) with sloping footplates, in matt black aluminium
- All aluminium components are standard black. Optionally available in combinations with polished aluminium or all polished. Please specify colour at time for order. See page 15 for specifications
- 150 mm lift (Seat height: 408-518 mm)




| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|---|-------|-------|-------|-------|-------|-------|-------|
| 9021 | HÅG Tribute 9021 • Not available in Comfort or Remix |  | 44940 | 45920 | 47544 | 49420 | 51240 | 58912 | |
| 9031 | HÅG Tribute 9031 • Headrest • Not available in Comfort or Remix |  | 52836 | 53984 | 55860 | 58100 | 60228 | 69300 | |
| 9221 | HÅG Inspiration 9221 • Back in Space (dark) or Lumina (black) • Seat and cushion available in Note, Shimmer (PG 3) and Paloma Soft (PG 6) |  | | | 45416 | | | 52696 | |
| 9231 | HÅG Inspiration 9231 • Back with headrest in Space (dark) or Lumina (black) • Seat and cushions available in Note, Shimmer (PG 3) and Paloma Soft (PG 6) |  | | | 55888 | | | 73136 | |
| 9321 | HÅG Excellence 9321 • Rear of backrest is upholstered in black Plaintech • Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6) |  | | | | 52500 | | 68908 | |
| 9331 | HÅG Excellence 9331 • Back with headrest • Rear of backrest is upholstered in black Plaintech • Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6) |  | | | | 69664 | | 91224 | |

Accessories/Options**(Price for options applicable when ordered at the same time as purchase of chair)**

| | |
|--|-------|
| All polished aluminium | 5404 |
| Mix of black foot base and details in polished aluminium | 1372 |
| Mix of polished foot base and details in black painted aluminium | 3612 |
| HÅG Executive Basic armrests (with height and width adjustment) | -3724 |
| 200 mm lift | 448 |
| Five star base (Ø740 mm), in polished aluminium | 2548 |
| Coathanger black (Only for: 9031) (Only for: 9031) | 1484 |
| Coathanger polished (Only for: 9031) (Only for: 9031) | 1792 |

HÅG® Executive - Meeting chairs

- HÅG inBalance® (balanced, flowing tilt function backwards and forwards)
- Seat height adjustment
- Adjustable back cushion (lumbar)
- Swivel
- Adjustable tilting resistance backwards
- Five star base (Ø650 mm) with sloping footplates, in matt black aluminium
- All aluminium components are standard black. Optionally available in combinations with polished aluminium or all polished. Please specify colour at time for order. See page 15 for specifications
- 150 mm lift (Seat height: 385-520 mm)

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|--|-------|-------|-------|-------|-------|-------|-------|
| 9073 | HÅG Tribute Meeting 9073 • Not available in Comfort or Remix |  | 29064 | 29708 | 30772 | 31976 | 33152 | 38136 | |
| 9273 | HÅG Inspiration Meeting 9273 • Back in Space (dark) or Lumina (black). • Seat and cushion available in Note, Shimmer (PG 4) and Paloma Soft (PG 6) |  | | | | 31752 | | 35952 | |
| 9373 | HÅG Excellence Meeting 9373 • Rear of backrest is upholstered in black Plaintech • Seat and back available in Vadal Uni (PG 4) and Paloma Soft (PG 6) |  | | | | 34692 | | 47488 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|--|------|
| All polished aluminium | 5404 |
| Mix of black foot base and details in polished aluminium | 1372 |
| Mix of polished foot base and details in black painted aluminium | 3612 |
| HÅG Executive Basic armrests (with height and width adjustment) | 6328 |
| Five star base (Ø650 mm) in polished aluminium | 2408 |
| Four star base (Ø785 mm) in painted aluminium | -504 |
| Four star base (Ø785 mm) in polished aluminium | 1652 |

HÅG EXECUTIVE COLLECTION – ADDITIONAL INFORMATION

We offer 4 predefined configurations for the HÅG Executive range:



HÅG Tribute 9031

ALL BLACK (standard)

- Black aluminium foot base – 1
- Black lift cover – 2
- Black armrests – 3
- Black lower part of armrests – 4
- Black lumbar wheel – 5
- Black ring/cover for lumbar wheel – 6
- Black Headrest stem cover – 8
- Black headrest stem – 7
- Black spine – 9
- Black upper and lower back bars – 10



HÅG Excellence 9321



HÅG Tribute 9031

BLACK FOOTBASE WITH POLISHED DETAILS (option)

- Black aluminium foot base – 1
- Polished lift cover – 2
- Polished armrests – 3
- Polished ring/cover for lumbar wheel – 6
- Polished headrest stem cover – 8
- Black lower part of armrests – 4
- Black lumbar wheel – 5
- Black headrest stem – 7
- Black spine – 9
- Black upper and lower back bars – 10



HÅG Excellence 9321



HÅG Tribute 9031

POLISHED FOOTBASE WITH DETAILS IN BLACK (option)

- Polished aluminium foot base – 1
- Black lift cover – 2
- Black lower part of armrests – 4
- Black lumbar wheel – 5
- Black headrest stem cover – 8
- Black spine – 9
- Polished armrests – 3
- Polished ring/cover for lumbar wheel – 6
- Polished headrest stem – 7
- Polished upper and lower back bars – 10



HÅG Inspiration 9221



HÅG Tribute 9031

ALL POLISHED (option)

- Polished aluminium foot base – 1
- Polished lift cover – 2
- Polished armrests – 3
- Polished lumbar wheel – 5
- Polished ring/cover for lumbar wheel – 6
- Polished Headrest stem cover – 8
- Polished Headrest stem – 7
- Polished upper and lower back bars – 10
- Black lower part of armrests – 4
- Black spine – 9



HÅG Inspiration 9221

HÅG EXECUTIVE ADDITIONAL INFORMATION – FABRICS

PLAINTECH (SR-WEBATEX)


(used on the rear side of the backrest on HÅG Excellence 9321 and 9331 and HÅG Meeting Excellence 9373)

Composition: 100 % polyamide
Flammability: BS EN 1021: 1–2 (Cigarette & match)

Space (dark) (Gabriel) and Lumina (K&R Sax)
(used on the back of HÅG Inspiration 9221 and 9231 and HÅG Meeting Inspiration 9273). These innovative textiles are self-supportive, which gives new possibilities regarding product design as well as becoming an important part of the sitting experience.

SPACE


Composition: 100 % polyester monofilament
Abrasion and tear-strength: 2469N x 11083N support strength
Flammability: BS EN 1021: 1–2 (Cigarette & match), FAR 25.853, DIN 4104 - B1 and B2, BS 5852 P 2 crib5
Environmental facts: ISO 14001 certified
Colour:



Space
SPA 000

LUMINA

Composition: 67% polyester, 33% polyamide
Abrasion: >100 000 Martindale
Tear-strength: 1457N x 1283N
Flammability: BS EN 1021: 2006 (Cigarette)
Environmental facts: ISO 14001 certified
Colour:



Black Lumina
LUM 100



For all the above mentioned fabrics the following guarantee and maintenance apply:







Guarantee: 10 years, 5 years for 24/7 use.

Maintenance: To be vacuumed with a furniture brush, wiped with a clean damp cloth or sponge slightly dampened with clean lukewarm water.

HÅG H05® - task chairs

Will be replaced by new model Q3/2019

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- 4 in 1 adjustment: seat depth, back height and forward and backward tilt tension in one wheel
- Adjustable seat height
- Possibility to adjust backrest separately
- Lockable in three positions
- Five star base (Ø730 mm) in aluminium with curved/arched footplates, standard in black or silver, optionally in polished aluminium.
Please specify colour at time of order.
- 150 mm lift (Seat height: 390-515 mm)

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|---|-------|-------|-------|-------|-------|-------|-------|
| 5100 | HÅG H05 5100 • Partially upholstered • Low back |  | 22736 | 23128 | 24248 | 25088 | 26348 | 29960 | |
| 5200 | HÅG H05 5200 • Fully upholstered • Low back |  | 24752 | 25284 | 26208 | 27328 | 28644 | 32536 | |
| 5300 | HÅG H05 5300 • Partially upholstered • Medium back |  | 24360 | 24892 | 26096 | 27132 | 28672 | 33348 | |
| 5400 | HÅG H05 5400 • Fully upholstered • Medium back • Available as electro static discharged (ESD) chair. (PG 6 + 10%) • Headrest and armrests not available for ESD chair |  | 26320 | 26824 | 28196 | 29456 | 30744 | 35952 | |
| 5500 | HÅG H05 5500 • Partially upholstered • High back |  | 25816 | 26376 | 27692 | 28924 | 30156 | 35252 | |
| 5600 | HÅG H05 5600 • Fully upholstered • High back |  | 27748 | 28364 | 29792 | 31108 | 32284 | 37800 | |

Accessories/Options**(Price for options applicable when ordered at the same time as purchase of chair)**

| | | | | | | | |
|---|------|------|------|------|------|------|------|
| Headrest HÅG H05 5100, 5300, 5500 | 5992 | 6160 | 6384 | 6636 | 7364 | 7812 | |
| Headrest HÅG H05 5200, 5400, 5600 | 5264 | 5348 | 5544 | 5796 | 6384 | 6972 | |
| Adjustable armrest | | | | | | | 3948 |
| - Surcharge for armrests with leather tops (black standard) | | | | | | | 4144 |
| - Surcharge for armrests with 3D tops | | | | | | | 1540 |
| - Surcharge for HÅG SwingBack® armrests | | | | | | | 2996 |
| 200 mm lift | | | | | | | 308 |
| 265 mm lift (glides are recommended, no additional charge) | | | | | | | 644 |
| Five star base (Ø730 mm) in polished aluminium | | | | | | | 3276 |
| Decorative stitching* | | | | | | | 2548 |
| HÅG FootRing** | | | | | | | 3080 |
| HÅG StepUp | | | | | | | 4368 |



* Available for model 5200, 5400 and 5600. Please see HÅG Colour and Fabrics for additional information

** Must be ordered together with 200 or 265 mm lift

HÅG H05® Communication

Will be replaced by new model Q3/2019

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Medium back
- Legs in aluminium, black or silver, optionally in polished aluminium. Please specify colour at time of order. (Seat height: 445 mm)
- Glides for hard or soft flooring need to be specified at time of order.

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|------------------|-------|-------|-------|-------|-------|-------|-------|
| 5370 |  HÅG H05 5370 • Partially upholstered • Plastic glides | | 11396 | 11956 | 13132 | 14112 | 15428 | 17360 | |
| 5470 |  HÅG H05 5470 • Fully upholstered • Plastic glides | | 12164 | 12824 | 14420 | 15792 | 17052 | 19320 | |

Accessories/Options






(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|--|------|
| Armrests HÅG H05 Comm. 5370, 5470, black | 1204 |
| Polished legs | 3948 |

HÅG H04® - task chairs

Will be replaced by new model Q3/2019

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat depth adjustment
- Back height adjustment
- Adjustable seat height
- Adjustable tilt tension forwards and backwards
- Lockable in three positions
- Five star base (Ø730 mm) in aluminium with footplates, standard in black or silver, optionally in polished aluminium. Please specify colour at time of order.
- 150 mm lift (Seat height: 395-530 mm)

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|---|-------|-------|-------|-------|-------|-------|-------|
| 4100 | HÅG H04 4100 <ul style="list-style-type: none"> • Low back • Smaller seat than 4200 (5 mm width and 10 mm depth) • Available as electro static discharged (ESD) chair (PG 6 + 10%) • Headrest and armrests not available for ESD chair |  | 21784 | 22344 | 23296 | 24164 | 25536 | 28756 | |
| 4200 | HÅG H04 4200 <ul style="list-style-type: none"> • Low back |  | 24052 | 24472 | 25592 | 26600 | 27888 | 31668 | |
| 4400 | HÅG H04 4400 <ul style="list-style-type: none"> • Medium back |  | 25004 | 25648 | 26908 | 28084 | 29344 | 34244 | |
| 4600 | HÅG H04 4600 <ul style="list-style-type: none"> • High back |  | 27160 | 27748 | 29148 | 30464 | 31752 | 37100 | |
| 4650 | HÅG H04 4650 <ul style="list-style-type: none"> • Extra wide (40 mm wider than 4600) |  | 29174 | 29988 | 31332 | 32816 | 34048 | 39900 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | | | | | | | |
|---|------|------|------|------|------|------|------|
| Headrest HÅG H04 4400, 4600, 4650 | 5992 | 6160 | 6384 | 6580 | 7364 | 7952 | |
| Adjustable armrests | | | | | | | 4004 |
| - Surcharge for armrests with leather tops (black standard) | | | | | | | 2884 |
| - Surcharge for armrests with 3D tops | | | | | | | 1568 |
| 200 mm lift | | | | | | | 308 |
| 265 mm lift (glides are recommended, no additional charge)* | | | | | | | 644 |
| Five star base (Ø730 mm) in polished aluminium | | | | | | | 3276 |
| HÅG FootRing** | | | | | | | 3080 |
| HÅG StepUp | | | | | | | 4368 |

* 265 mm lift must be ordered together with five star base in aluminium

** Must be ordered together with 200 or 265 mm lift

HÅG H04® Communication

Will be replaced by new model Q3/2019

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Glides for hard or soft flooring need to be specified at time of order.

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|--|------------------|-------|-------|-------|-------|-------|-------|-------|
| 4470 |  <p>HÅG H04 4470</p> <ul style="list-style-type: none"> • Sledge base in steel: black or silver (Seat height: 445 mm) | | 12488 | 13048 | 14728 | 16072 | 17892 | 19712 | |
| 4472 |  <p>HÅG H04 4472</p> <ul style="list-style-type: none"> • Adjustable seat height • Aluminium 5 star base (Ø730 mm) w/footplates: black or silver • 150 mm lift (Seat height: 375-515 mm) | | 13356 | 14084 | 15820 | 17108 | 19012 | 20888 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|---|------|
| Armrests in aluminium. Silver or black. | 2380 |
| Five star base (Ø730 mm) in polished aluminium (Only for: 4472) | 3276 |

HÅG H03® - task chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Seat height adjustment
- Combined adjustment of back height and seat depth
- Five star base (Ø686 mm) in plastic with sloping footplates
- 150 mm lift (Seat height: 412-551 mm)

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|--|---|-------|-------|-------|-------|-------|-------|-------|
| 330 | HÅG H03 330 • Low back • Removable upholstery on seat and back (low) • Back bar and arm slides in black or silver |  | 15064 | 15344 | 15904 | 16660 | 17612 | 19852 | |
| 340 | HÅG H03 340 • Removable upholstery on seat and back (medium) • Individual tilt tension adjustment |  | 16660 | 16996 | 17780 | 18424 | 19376 | 22204 | |
| 350 | HÅG H03 350 • Fully upholstered seat and back (medium) • Individual tilt tension adjustment |  | 19124 | 19544 | 20412 | 21252 | 22204 | 25200 | |

Accessories/Options

(Price for options applicable when ordered at the same time as purchase of chair)

| | |
|---|------|
| Adjustable armrests | 2212 |
| 200 mm lift | 420 |
| 265 mm lift (glides are recommended, no additional charge)* | 812 |
| Telescopic lift cover | 364 |
| Five star base (Ø730 mm) in aluminium - silver/black | 980 |
| Five star base (Ø730 mm) in polished aluminium | 4564 |
| HÅG FootRing** | 3080 |

* 265 mm lift must be ordered together with five star base in aluminium







** Must be ordered together with 200 or 265 mm lift

HÅG Conventio® - conference chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- Black or silver coloured backstems, must be specified at time of order for models 9512 and 9522

The following applies for models 9510, 9511, 9520 and 9521:

- Legs in black or silver aluminum. Please specify colour at time of order
- Stackable (15 chairs), only available for 4 legged models
- Glides for hard or soft flooring need to be specified at time of order

| Item no | Base model + | Price Group (PG) | ① | ② | ③ | ④ | ⑤ | ⑥ | Price |
|---------|---|---|-------|-------|-------|-------|-------|-------|-------|
| 9510 | HÅG Conventio 9510 <ul style="list-style-type: none"> • Upholstered seat and backrest front (plastic back) • Removable upholstery • Built-in handle for carrying • Seat height: 455 mm |  | 9380 | 9576 | 9996 | 10528 | 11648 | 15344 | |
| 9511 | HÅG Conventio 9511 <ul style="list-style-type: none"> • As 9510 above • 4 cm wider than 9510 • Seat height: 450 mm |  | 10332 | 10584 | 11088 | 11564 | 12852 | 16856 | |
| 9512 | HÅG Conventio 9512 <ul style="list-style-type: none"> • 5 star plastic foot base (Ø635 mm) • 150 mm lift (Seat height: 400-540 mm) • Backstems in black or silver |  | 11732 | 11928 | 12544 | 13076 | 14364 | 19096 | |
| 9520 | HÅG Conventio 9520 <ul style="list-style-type: none"> • Upholstered seat and back • Removable upholstery • Seat height: 455 mm |  | 9884 | 10080 | 10528 | 11088 | 11928 | 15792 | |
| 9521 | HÅG Conventio 9521 <ul style="list-style-type: none"> • As 9520 above • 4 cm wider than 9520 • Seat height: 450 mm |  | 10864 | 11116 | 11536 | 11984 | 13160 | 17276 | |
| 9522 | HÅG Conventio 9522 <ul style="list-style-type: none"> • 5 star plastic foot base (Ø635 mm) • 150 mm lift (Seat height: 400-540 mm) • Backstems in black or silver |  | 12404 | 12656 | 13048 | 13748 | 14896 | 19684 | |

Accessories/Options**(Price for options applicable when ordered at the same time as purchase of chair)**

| | | |
|--------|---|------|
| | Armrest in plastic | 1512 |
| 165240 | HÅG Writing tablet. Black, right-handed. Fold down tablet for storage and stacking of chair. (Only for: 9521, 9510, 9520, 9511) | 2016 |
| 165242 | HÅG Writing tablet. Black, right-handed + Armrest in plastic, left side. (Only for: 9510, 9521, 9520, 9511) | 2884 |
| | Five star base (Ø730 mm) in aluminium - silver/black (Only for: 9512, 9522) | 980 |
| | Five star base (Ø730 mm) in polished aluminium (Only for: 9522, 9512) | 4256 |
| 115805 | Chair hanger. Must be specified at time of order. Can not be retrofitted* | 1428 |
| 115806 | Chair hanger. Must be specified at time of order. Can not be retrofitted | 1428 |
| 113514 | Connection device - only available for 4 legged models (Only for: 9510, 9521, 9520, 9511) | 168 |
| 149201 | Chair trolley | 5712 |
| 108984 | HÅG SlipCover available in Atlantic (Gabriel) off-white or grey (Only for: 9510, 9520) | 2240 |







* For models 9512 and 9522.



108984

HÅG Conventio Wing® - conference chairs

- HÅG in Balance® (balanced, flowing tilt function backwards and forwards)
- 9811, 9821, 9831: 4 legs and backstems in matt black or silver coloured aluminium.
- Please specify colour at time of order.
- 9812, 9822, 9832: 5 star foot base in black plastic. 150mm gaslift.
- Seat and backrest available in 6 different colours: Clay, Sea Green, Petroleum, Black, White and Red.
- Stackable: 15 chairs (4 legged models)
- Glides for hard or soft flooring need to be specified at time of order.





| Item no | Base model + | Price Group (PG) | | | | | | Price |
|---------|--|---|-------|-------|-------|-------|-------|-------|
| 9811 | HÅG Conventio Wing 9811 <ul style="list-style-type: none">• Plastic seat and back• Seat height: 430 mm |  | | | | | | 6048 |
| 9812 | HÅG Conventio Wing 9812 <ul style="list-style-type: none">• Plastic seat and back• 5 star plastic foot base (Ø635 mm)• Backstems in matt black or silver• Seat height: 375-515 mm |  | | | | | | 7812 |
| | | | ① | ② | ③ | ④ | ⑤ | Price |
| 9821 | HÅG Conventio Wing 9821 <ul style="list-style-type: none">• Removable upholstery on seat• Plastic back• Seat height: 430 mm |  | 7588 | 7728 | 8484 | 9240 | 9660 | |
| 9822 | HÅG Conventio Wing 9822 <ul style="list-style-type: none">• Removable upholstery on seat• Plastic back• 5 star plastic foot base (Ø635 mm)• Backstems in matt black or silver• Seat height: 380-520 mm |  | 9380 | 9604 | 10528 | 11452 | 11844 | |
| 9831 | HÅG Conventio Wing 9831 <ul style="list-style-type: none">• Removable upholstery on seat and back• Seat height: 430 mm |  | 9324 | 9492 | 10360 | 11284 | 11732 | |
| 9832 | HÅG Conventio Wing 9832 <ul style="list-style-type: none">• Removable upholstery on seat and back• 5 star plastic foot base (Ø635 mm)• Backstems in matt black or silver• Seat height: 380-520 mm |  | 11088 | 11284 | 12404 | 13524 | 14084 | |

Accessories/Options**(Price for options applicable when ordered at the same time as purchase of chair)**

| | | |
|-----------|---|------|
| | Armrest in plastic | 1512 |
| 165240 | HÅG Writing tablet. Black, right-handed. Fold down tablet for storage and stacking of chair. (Only for: 9831, 9821, 9811) | 2016 |
| 165242 | HÅG Writing tablet. Black, right-handed + Armrest in plastic, left side. (Only for: 9831, 9821, 9811) | 2884 |
| | Five star base (Ø730 mm) in aluminium - silver/black (Only for: 9822, 9812, 9832) | 980 |
| | Five star base (Ø730 mm) in polished aluminium (Only for: 9822, 9832, 9812) | 4256 |
| 165243-1A | Chair suspension w/instr black | 784 |
| 165243-2A | Chair suspension w/instr silver | 784 |
| 115805 | Chair hanger. Must be specified at time of order. Can not be retrofitted* | 1428 |
| 115806 | Chair hanger. Must be specified at time of order. Can not be retrofitted | 1428 |
| 113514 | Connection device - only available for 4 legged models (Only for: 9821, 9831, 9811) | 168 |
| 149201 | Chair trolley | 5712 |

* For models 9812, 9822 and 9832.

HÅG Accessories

| Item no | Base model + | Price Group (PG) | Price |
|--------------|---|---|-------|
| 165177-1A/2A | HÅG StepUp <ul style="list-style-type: none"> ● Black (1A) or silver (2A) ● Two extra levels for your feet ● Greater variety of seating positions ● Easy to attach and detach ● For use with 150, 200 and 265 mm gas lifts ● Suits desk heights of 80-95 cm |  | 4368 |
| 165178-1A/2A | HÅG StepUp <ul style="list-style-type: none"> ● Two pack, black or silver | | 8680 |
| 165134 | HÅG QuickStep <ul style="list-style-type: none"> ● Tilting footrest, stimulates circulation ● Foot massager ● Balance training |  | 3304 |
| 165129 | HÅG QuickStep <ul style="list-style-type: none"> ● Six pack | | 19572 |
| 169121 | HÅG FootRing <ul style="list-style-type: none"> ● Black, silver or white ● Additional height for the feet to rest on ● Compatible with all HÅG task chairs (except HÅG Executive) with 200 or 265 mm gas lifts |  | 3080 |
| 149201 | Chair trolley <ul style="list-style-type: none"> ● Trolley for moving HÅG Conventio and HÅG Conventio Wing with 4 legs only ● Recommended for max 8 pcs ● Black |  | 5712 |

Physical measurements for HÅG working chairs

Measurements in mm. **A** mid-point of chair, loaded with 64 Kg, **S** foremost point of back pads, reference point for measurement of back support adjustment

| Model | Seat height, measured with 64 kg load | | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | Weight of chair in kg |
|-------------------------|--|--------------|-------------|-------------|---------------------|---|---|------------|--------------------|------------|-------------|--------------------|-----------------------|
| | 165 mm lift | 150 mm lift* | 200 mm lift | 265 mm lift | Height of back pads | Height of foremost support point on back pads | Height of foremost support point on headrests | Seat depth | Height of armrests | Seat width | Chair width | Foot base diameter | |
| HÅG SoFi | Tilt range is 20° forwards and 14° backwards from a neutral position 4° to the rear | | | | | | | | | | | | |
| HÅG SoFi 7200 | 395-545 | | 450-640 | | 620 | 165-260 | 630-835 | 380-460 | 185-300 | 450 | 600-715 | 730 | 17,3 |
| HÅG SoFi 7300 | 395-545 | | 450-640 | | 720 | 165-260 | 630-835 | 380-460 | 185-300 | 450 | 600-715 | 730 | 17,5 |
| HÅG SoFi 7500 | 395-545 | | 450-640 | | 720 | 165-260 | 630-835 | 380-460 | 185-300 | 450 | 600-715 | 730 | 17,0 |
| HÅG Capisco | Tilt range is 15° backwards from a neutral position 2° to the rear. | | | | | | | | | | | | |
| HÅG Capisco 8105 | | 380-515 | 445-630 | 530-790 | | | | | | 470 | | 730 | 7.5 |
| HÅG Capisco 8106 | | 408-540 | 470-655 | 555-810 | 460 | 150-240 | | 340-420 | | 470 | 595 | 730 | 14.0 |
| HÅG Capisco 8126 | | 408-540 | 470-655 | 555-810 | 460 | 150-240 | | 340-420 | | 470 | 595 | 730 | 14.5 |
| HÅG Capisco 8107 | | 408-540 | 470-655 | 555-810 | 460 | 150-240 | 555-785 | 340-420 | | 470 | 595 | 730 | 15.5 |
| HÅG Capisco 8127 | | 408-540 | 470-655 | 555-810 | 460 | 150-240 | 555-785 | 340-420 | | 470 | 595 | 730 | 16.0 |
| HÅG Capisco Puls | Tilt range is 15° backwards from a neutral position 2° to the rear. | | | | | | | | | | | | |
| HÅG Capisco Puls 8001 | | 365-500 | 455-620 | 540-770 | | | | | | 460 | | 730 | 7.0 |
| HÅG Capisco Puls 8002 | | 375-515 | 470-635 | 555-785 | | | | | | 460 | | 730 | 7.0 |
| HÅG Capisco Puls 8010 | | 390-525 | 455-640 | 540-795 | 400 | 140-230 | | 400-470 | | 460 | 565 | 730 | 11.1 |
| HÅG Capisco Puls 8020 | | 400-535 | 470-650 | 555-805 | 400 | 130-220 | | 400-470 | | 460 | 565 | 730 | 11.1 |
| HÅG Futu | Tilt range is 20° forwards and 14° backwards from a neutral position 4° to the rear. | | | | | | | | | | | | |
| HÅG Futu 1100 mesh | 400-550 | | 450-640 | | 600 | 170-225 | | 370-450 | 200-300 | 460 | 610-715 | 730 | 16.2 |
| HÅG Futu 1200 solid | 400-550 | | 450-640 | | 600 | 155-250 | | 380-460 | 200-300 | 460 | 610-715 | 730 | 15.4 |

* According to EN1335 Class A
Please note that these measurements are not absolute. They may vary slightly from chair to chair.

| Model | Seat height, measured with 64 kg load | | | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | Weight of chair in kg |
|---------------|--|--------------|-------------|-------------|---------------------|---------|---------|---------|---------|-----|---------|-----|------|-----------------------|
| | 165 mm lift | 150 mm lift* | 200 mm lift | 265 mm lift | Height of back pads | | | | | | | | | |
| HAG Executive | Tilt range is 7° forwards and 18° backwards from a neutral position 3° to the rear | | | | | | | | | | | | | |
| | | 408-518 | 569-642 | | 740 | 170-238 | | 395-480 | 178-285 | 455 | 495-675 | 740 | 25.0 | |
| | | 408-518 | 569-642 | | 740 | 170-238 | | 395-480 | 178-285 | 455 | 495-675 | 740 | 25.0 | |
| | | 408-518 | 569-642 | | 780 | 165-255 | | 395-480 | 200-300 | 455 | 495-675 | 740 | 20.0 | |
| | | 408-518 | 569-642 | | 1060 | 165-255 | | 395-480 | 200-300 | 455 | 495-675 | 740 | 21.5 | |
| | | 408-518 | 569-642 | | 780 | 165-255 | | 395-480 | 200-300 | 455 | 495-675 | 740 | 19.5 | |
| | | 408-518 | 569-642 | | 1060 | 165-255 | | 395-480 | 200-300 | 455 | 495-675 | 740 | 22.0 | |
| HAG H05 | Tilt range is 15° forwards and 16° backwards from a neutral position 1° to the rear. | | | | | | | | | | | | | |
| HAG H05 5100 | | 390-515 | 465-645 | 550-785 | 415 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 12.5 | |
| HAG H05 5200 | | 390-515 | 465-645 | 550-785 | 410 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 13.0 | |
| HAG H05 5300 | | 390-515 | 465-645 | 550-785 | 475 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 16.0 | |
| HAG H05 5400 | | 390-515 | 465-645 | 550-785 | 470 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 16.5 | |
| HAG H05 5500 | | 390-515 | 465-645 | 550-785 | 555 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 18.0 | |
| HAG H05 5600 | | 390-515 | 465-645 | 550-785 | 550 | 135-250 | 560-790 | 385-480 | 175-280 | 450 | 600-700 | 730 | 19.0 | |
| HAG H04 | Tilt range is 11° forwards and 16° backwards from a neutral position 4° to the rear | | | | | | | | | | | | | |
| HAG H04 4100 | | 395-530 | 460-640 | 550-785 | 465 | 165-255 | 590-820 | 360-455 | 200-300 | 425 | 580-680 | 730 | 13.5 | |
| HAG H04 4200 | | 395-530 | 465-645 | 555-790 | 465 | 170-260 | 590-820 | 390-485 | 200-300 | 430 | 580-680 | 730 | 12.8 | |
| HAG H04 4400 | | 395-530 | 465-645 | 555-790 | 510 | 170-260 | 590-820 | 390-485 | 200-300 | 430 | 580-680 | 730 | 15.6 | |
| HAG H04 4600 | | 395-530 | 465-645 | 555-790 | 590 | 170-260 | 590-820 | 390-485 | 200-300 | 430 | 580-680 | 730 | 15.8 | |
| HAG H04 4650 | | 395-530 | 465-645 | 555-790 | 595 | 170-260 | 590-820 | 390-485 | 190-295 | 475 | 580-680 | 730 | 16.0 | |
| HAG H03 | Tilt range is 12° forwards and 10° backwards from a neutral position 0°. | | | | | | | | | | | | | |
| HAG H03 330 | | 412-551 | 520-700 | 548-783 | 300 | 170-240 | | 400-470 | 165-285 | 420 | 630 | 686 | 12.0 | |
| HAG H03 340 | | 412-551 | 520-700 | 548-783 | 410 | 165-235 | | 400-470 | 165-285 | 420 | 630 | 686 | 12.0 | |
| HAG H03 350 | | 412-551 | 520-700 | 548-783 | 430 | 160-230 | | 400-470 | 165-285 | 445 | 630 | 686 | 13.0 | |

* According to EN1335 Class A
Please note that these measurements are not absolute. They may vary slightly from chair to chair.

Physical measurements for HÅG meeting and conference chairs

All measurements in mm. Where a chair is adjustable, minimum and maximum measurements are listed.

| Model | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Tilt range | | |
|------------------------------|---|------------------|---------------------|-----------------|-----------------|------------------|---------------|-------------|------------|----------|-----------|
| | Seated height, measured with 64 kg load | Back height (mm) | Diam. footbase (mm) | Seat depth (mm) | Seat width (mm) | Chair width (mm) | Armrests (mm) | Weight (kg) | Neutral | Forwards | Backwards |
| HÅG SoFi Comm. 7202 | 400-550 | 620 | 785 | 380-460 | 450 | 600 | | 16.2* | -2° | 11° | 13° |
| HÅG SoFi Comm. 7302 | 400-550 | 720 | 785 | 380-460 | 450 | 600 | | 16.7* | -2° | 11° | 13° |
| HÅG SoFi Comm. 7502 | 400-550 | 720 | 785 | 380-460 | 450 | 600 | | 15.7* | -2° | 11° | 13° |
| HÅG Futu Comm. 1102 | 400-550 | 600 | 850 | 370-450 | 460 | 610-715 | 200-300 | 16.2 | 3° | 20° | 14° |
| HÅG Tribute Meeting 9073 | 408-518 | 530 | 650 | 430 | 455 | 600-680 (740) 1) | 155-265 | 19.2* | -4° | 3° | 13° |
| HÅG Inspiration Meeting 9273 | 385-520 | 570 | 650 | 440 | 455 | 600-680 (740) 1) | 155-265 | 16.0 13.0* | -4° | 4° | 13° |
| HÅG Excellence Meeting 9373 | 385-520 | 570 | 650 | 435 | 455 | 600-680 (740) 1) | 155-265 | 16.5 13.5* | -4° | 4° | 13° |
| HÅG H05 Comm. 5370 | 445 | 460 | - | 415 | 445 | 570 *470 | 235 | 7.2 | -4° | 9° | 13° |
| HÅG H05 Comm. 5470 | 445 | 460 | - | 415 | 445 | 570 *470 | 235 | 7.2 | -4° | 9° | 13° |
| HÅG H04 Comm.4470 | 445 | 510 | - | 425 | 450 | 600 *480 | 210 | 10.2 | -5° | 9° | 13° |
| HÅG H04 Comm. 4472 | 375-515 | 510 | 730 | 425 | 450 | 600 *480 | 210 | 9.1 | -5° | 9° | 13° |

1) Max. diagonal diameter
* Measurements without armrests
Please note that the measurements are not absolute. They may vary slightly from chair to chair.

Physical measurements for HÅG meeting and conference chairs

All measurements in mm. Where a chair is adjustable, minimum and maximum measurements are listed.

| Model | 1 Seated height, measured with 64 kg load | 2 Back height (mm) | 3 Diam. footbase (mm) | 4 Seat depth (mm) | 5 Seat width (mm) | 6 Chair width (mm) | 7 Armrests (mm) | 8 Weight (kg) | Tilt range | | |
|---------------------------------|--|--------------------------|-----------------------------|-------------------------|-------------------------|--------------------------|-----------------------|------------------|------------|----------|-----------|
| | | | | | | | | | Neutral | Forwards | Backwards |
| HÅG Conventio 9510, 9520 | 455 | 390 | - | 425 | 390 | 550 *460 | 230 | 5.0 | -5° | 12° | 11° |
| HÅG Conventio 9511, 9521 | 450 | 460 | - | 430 | 430 | 590 *500 | 230 | 5.9 | -5° | 12° | 11° |
| HÅG Conventio 9512, 9522 | 400-540 | 460 | 635 | 430 | 430 | 550 *460 | 230 | 8.3 | -5° | 12° | 11° |
| HÅG Conventio Wing 9811/9841 | 430 | 380 | - | 420 | 430 | 600 *500 | 245 | 5.2 *4.4 | -5° | 12° | 11° |
| HÅG Conventio Wing 9821 | 430 | 380 | - | 420 | 430 | 600 *500 | 245 | 5.4 *4.6 | -5° | 12° | 11° |
| HÅG Conventio Wing 9831 | 430 | 380 | - | 420 | 430 | 600 *500 | 245 | 5.6 *4.8 | -5° | 12° | 11° |
| HÅG Conventio Wing 9812 | 375-515 | 380 | 635 | 420 | 430 | 600 *465 (635) 1) | 245 | 7.6 *6.8 | -5° | 12° | 11° |
| HÅG Conventio Wing 9822 | 380-520 | 380 | 635 | 420 | 430 | 600 *465 (635) 1) | 245 | 7.8 *7.0 | -5° | 12° | 11° |
| HÅG Conventio Wing 9832 | 380-520 | 380 | 635 | 420 | 430 | 600 *465 (635) 1) | 245 | 8.0 *7.2 | -5° | 12° | 11° |

1) Max. diagonal diameter

* Measurements without armrests

Please note that the measurements are not absolute. They may vary slightly from chair to chair.

Tests and Certificates

| Environmental information | HAG SoFi | HAG Capisco 8106 | HAG Capisco Puls | HAG Futu | HAG Inspiration 9231 | HAG H05 5300 | HAG H05 5370 | HAG H04 4400 | HAG H04 4470 | HAG H03 320 | HAG Conventio 9520 | HAG Conventio Wing 9811 |
|--|----------|------------------|------------------|----------|----------------------|--------------|--------------|--------------|--------------|-------------|--------------------|-------------------------|
| EPD (Environmental Product Declaration) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Environmental key indicators (from EPDs): <ul style="list-style-type: none">• Global warming (kg CO2 - equivalent)• Energy consumption (MJ)• Amount of recycled material• Amount of recyclable material | 92 | 36 | 31 | 51 | 60 | 61 | 37 | 53 | 54 | 44 | 34 | 24 |
| | 1967 | 747 | 607 | 943 | 1370 | 1127 | 554 | 1021 | 900 | 786 | 396 | 397 |
| | 45 % | 43 % | 48 % | 33 % | 46 % | 37 % | 34 % | 39 % | 21 % | 32 % | 29 % | 26 % |
| | 95 % | 95 % | 95 % | 96 % | 96 % | 98 % | 95 % | 97 % | 98 % | 98 % | 92 % | 98 % |
| Nordic Eco Label (Swan) | Pending | Yes * | | | | | | | | | Yes | |
| GREENGUARD indoor climate certificate | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| ISO 1716 (Calorific value) | Yes | | | | | | | | | | | |

An EPD (Environmental Product Declaration) is a document that summarises a product’s environmental performance. An EPD is based on a life cycle assessment (LCA). The requirements for how an EPD is to be made are specified in the ISO 14025 standard. These standardised methods ensure that environmental information can be compared product by product, regardless of manufacturer, region or country. The GREENGUARD Indoor Air Quality Certification Program gives assurance that products designed for use in office environments and other indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors.

* Chair upholstered in Fame

Tests and Certificates

| Product tests | HAG SoFi upholstered | HAG SoFi mesh | HAG SoFi Comm. | HAG Capisco | HAG Capisco Puls | HAG Futu Solid | HAG Futu mesh | HAG Futu Comm. | HAG Executive | HAG Executive Meeting | HAG H05 | HAG H04 Comm. | HAG H04 | HAG H03 | HAG Conventio | HAG Conventio Wing | HAG Tablet Arm |
|-----------------|----------------------|---------------|----------------|-------------|------------------|----------------|---------------|----------------|---------------|-----------------------|---------|---------------|---------|------------------|-------------------------|---------------------|----------------|
| Ansi/Bifma (US) | Yes | Yes | Yes | Yes | Yes | Yes | | | Yes*** | Yes*** | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| EN 1335 Class A | Yes | Yes | | Yes | Yes | Yes | Yes | | Yes*** | Yes | | | Yes | Yes ² | | | |
| EN 16139 | | | Yes | Yes** | Yes** | | | Yes | | Yes | Yes | Yes | Yes | | Yes (Yes ¹) | (Yes ¹) | Yes |
| GS (DE) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes*** | Yes*** | Yes | Yes | Yes | Yes | Yes (Yes ¹) | Yes | Yes |
| BS 5459 (GB) | Yes | Yes | | P | | Yes | P | | Yes*** | | Yes | | Yes | | | | |
| NPR 1813 (NL) | Yes* | Yes | | | | Yes* | P | | | | Yes | | Yes | | | | |
| EN 1729 | | | | | | | | | | | | | | | | Yes | |
| Möbelfakta (SE) | Yes | | | Yes | Yes | Yes | | | Yes*** | | | | | | Yes | Yes | |
| CAL TB 133 | | | | Yes | | | | | | | | | | | Yes | Yes | |
| CAL TB 117 | | | | Yes | | | | | | | | | | | | | |

1 Without armrests

2 EN1335 Type B

() Model with star base

* With 3D armrests

**Model 8001, 8002 and 8105


*** Old H  G H09 models, renamed H  G Executive

P Pending

HÅG Colour and Fabrics

Decorative stitching

Decorative stitching can truly add the little extra to your chair.
The 10-colour thread program is available on all textiles for the following HÅG chairs:
HÅG Capisco model 8105, 8106 and 8107
HÅG SoFi collection
HÅG H05 model 5200, 5400, 5600 and headrest



FutuKnit™ (Camira Fabrics)

The HÅG Futu comes in our two uniquely designed FutuKnit™ fabrics. Made from the finest quality polyester knit, combining aesthetics, ergonomics and flexibility, the 3D knitted fabrics have been technically developed to retain their tautness - providing ultimate support and comfort. By using the technical 3D knitting technique each fabric is knit in one piece that results in no waste. Both the FutuKnit solid and the FutuKnit mesh fabrics are available in seven appealing colours and can be matched. Each colour is inspired by nature, and all fabrics have a 10-year guarantee.

| | |
|-----------------------------|---|
| Composition: | 100% polyester |
| Abrasion: | FutuKnit mesh > 200. 000 Martindale FutuKnit Solid > 70. 000 Martindale |
| Flammability: | BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low Hazard |
| Colour fastness to rubbing: | Dry and Wet 4-5 (scale 1–5) |
| Colour fastness to light: | 6 (scale 1–8) |
| Pilling: | 4-5 (BS EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 (company) |
| Maintenance: | To be vacuumed with a furniture brush or use a clean white damp cloth or sponge slightly dampened with clean lukewarm water |

FutuKnit mesh for back at model 1100:



FutuKnit solid for seat at model 1100/1200 and for back at model 1200:



HÅG Capisco Puls Plastic Colours




HÅG Conventio Wing Plastic Colours



Sprint (Camira Fabrics) - Price group 3

Sprint is a classic stretch knit fabric made from 100% polyester. A smooth cellular construction with a subdued finish gives a minimalistic and light expression. **Sprint is only available for HÅG Capisco Puls & HÅG Conventio Wing.**

| | |
|----------------------|--|
| Composition: | 100% polyester |
| Abrasion: | > 100 000 Martindale |
| Flammability: | BS EN 1021: 1&2 (Cigarette & match), BS 7176: 2007 Low Hazard, UNI 9176 Class 1 IM, UNI 9175 Klasse 1 IM, CA TB 117-2013 |
| Light fastness: | 6 (ISO 105-B02) |
| Pilling: | 4/5 (BS EN ISO 12945-2) |
| Environmental facts: | 100% free of heavy metals, ISO 14001 certified (company) |



Mesh (Palmhive)

A warp knitted heavy duty mesh, using an innovative yarn construction to give increased strength which provides enhanced comfort, support and appearance. Its structure is soft and comforting with a semi-transparent effect. The mesh is available in black and light grey. Easy to combine with many fabrics and colours from the HTC collection. **Mesh by Palmhive is only available for the back of HÅG SoFi mesh.**

| | |
|----------------------|------------------------|
| Composition: | 100% polyester |
| Abrasion resistance: | 150.000 Martindale |
| Flammability: | BS EN 1021: 1 -2: 2014 |
| Pilling: | 4-5 (EN-ISO 12945-2) |
| Environmental facts: | Oeko-Tex® Standard 100 |



HÅG Total Colour Standard collection

– with 10 year guarantee as standard or 5 year guarantee on 24/7 use

HÅG Total Colour (HTC) Standard is our collection of fabrics, leather and other materials. The collection has been designed to bring out the best visual and functional qualities of these materials. All fabrics and leather in our Standard collection are of excellent quality. We offer short delivery times, a wide range and all our materials comply with strict environmental requirements.

Delivery time from factory is 15-20 working days after order has been registered. Transport days to be added.


Maintenance: Please vacuum with a furniture brush then use a clean cloth or sponge slightly dampened with clean lukewarm water.

Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local HÅG supplier to view a sample.

Xtreme (Camira Fabrics) - Price group 1

Xtreme is a crêpe fabric made from 100% recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

| | |
|----------------------|---|
| Composition: | 100% recycled polyester |
| Abrasion resistance: | 100 000 Martindale |
| Flammability: | BS EN 1021: 1–2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 |
| Light fastness: | 6 (ISO 105 - B02: 2013) |
| Pilling: | 5 (BS EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals |



Select (Gabriel) - Price Group 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

| | |
|----------------------|--|
| Composition: | 85% wool, 15% polyamide |
| Abrasion resistance: | 200 000 Martindale |
| Flammability: | BS EN 1021: 1–2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013. Expected to pass: IMO MSC 307(88) Annex 1 part 8/MED registration IMO |
| Light fastness: | 5-8 (EN ISO 105 - B02) |
| Pilling: | 4 (EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company |




Fame (Gabriel) - Price group 2

Fame is a tightly woven fabric of worsted wool and polyamide, combining excellent durability and incredible softness.

Please Note: Fame by Gabriel will be moved to Extended Collection and Price Group 3 by 01.07.2019.


| | |
|----------------------|---|
| Composition: | 95% wool, 5% polyamide |
| Abrasion resistance: | 200 000 Martindale |
| Flammability:: | BS S EN 1021: 1–2, BS 5852,Crib 5, Calif. Bull. 117-2013, IMO MSC 307(88) Annex 1 part 8, NFP 92-503:M2 (Zirpro), ÖNORM B 3825-B1-3800-Q1 UK (Flován) |
| Light fastness: | 5-7 (EN ISO 105 - B02) |
| Pilling: | 4 (BS EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals |



Capture (Gabriel) - PG 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strength. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.


| | |
|----------------------|--|
| Composition: | 85% wool, 15% polyamide |
| Abrasion resistance: | 200 000 Martindale |
| Flammability: | BS EN 1021: 1–2, BS 5852 Part 1 0,1 (Cigarette & match), Calif. Bull. 117-2013 |
| Light fastness: | 5-7 (EN ISO 105-B02) |
| Pilling: | 4-5 (EN-ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals |



Nexus (Camira Fabrics) - Price group 3

Nexus is a polyester knit in a sleek and stylish pinprick dot matrix design effect giving a granulated structured surface. The black yarn foundation highlights the structured surface in combination with fresh but subtle colours.

| | |
|----------------------|---|
| Composition: | 100% polyester |
| Abrasion resistance: | 100 000 Martindale |
| Flammability: | BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low Hazard |
| Light fastness: | 5 (ISO 105 - B02: 2013) |
| Pilling: | 4/5 (BS EN ISO 12945-2) |
| Environmental facts: | 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001 |



Note (Gabriel) - Price group 3

Note is a soft and noble fabric which, with its classic satin structure, allows the wool's natural lustre to shine and impress.

Please Note: Fame by Gabriel will be moved to Extended Collection and Price Group 3 by 01.07.2019.


| | |
|----------------------|---|
| Composition: | 85% worsted wool, 15% polyamide |
| Abrasion resistance: | 200 000 Martindale |
| Flammability: | EN 1021 1&2, BS 5852 0&1, BS 5852 crib 5, IMO 307 (88) Annex 1 part 8, IMO MSC 307(88) Annex 1 part 8, Calif. Bull. 117-2013 |
| Light fastness: | 5-8 |
| Pilling: | 4 (BS EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001 |



Patina (Camira) – PG 3

Patina has a high content of natural fibers, combining wool and flax for a delicate feel. Drawing inspiration from Pattern in Nature revealed to us by its fine structure and carefully balanced colours. It is about designing with nature to achieve beauty with performance.

| | |
|----------------------|--|
| Composition: | 69% Wool, 22% Flax, 8% Polyamide, 1% Viscose |
| Abrasion resistance: | > 100 000 Martindale |
| Flammability: | BS EN 1021: 1-2, BS 7176, BS 5852 |
| Light fastness: | 5 (EN ISO 105-B02) |
| Environmental facts: | EU Ecolabel, 100% free of heavy metals |



Steelcut Trio 3 (Kvadrat) - Price group 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. (Not available for HÅG Capisco Puls).

| | |
|----------------------|---|
| Composition: | 90% worsted new wool, 10% polyamide |
| Abrasion resistance: | 100 000 Martindale |
| Flammability: | AS/NZS 3837, Class 2, BS 5852, ig. s. 2-3, DIN 4102 B2, ÖNORM B1/ Q1, EN1021-1/2, IMO MSC 307(88) Annex 1 part 8, NF D 60 013, NFPA 260, UNI 9175, 1IM, Calif. Bull. 117-2013 |
| Light fastness: | 5-7 (ISO 1-8) |
| Pilling: | 4 (BS EN ISO 12945-2) |
| Environmental facts: | EU Ecolabel |



Comfort+ (Gabriel) - Price group 4

Comfort+ has a uniform stretchability and excellent non-pilling properties. A unique combination of fibres giving a durable soft surface. (Not available for HÅG Tribute)

| | |
|----------------------|--|
| Composition: | 51% polyester, 37% recycled polyester, 12% polyurethane |
| Abrasion resistance: | 150 000 Martindale |
| Flammability: | BS EN 1021: 1-2 (Cigarette & match), Calif. Bull. 117-2013, NFP 92-503:M3, ÖNORM B 3825-B2-3800-Q1 UK (Flovan), UNI 9175 1IM, BS 5852 Part 1 0,1 (Cigarette & match) |
| Light fastness: | 5-7 (EN ISO 105-B02) |
| Pilling: | 5 (BS EN ISO 12945-2) |
| Environmental facts: | Oeko-Tex® Standard 100, 100% free of heavy metals |



CMF 1414



CMF0040



CMF 0049



CMF 0050

Shimmer (Innvik Sellgren) - Price group 4

Satin-woven worsted wool combined with polyamide. The weave and fibre combination yields an irregular, glittering effect.

| | |
|----------------------|--|
| Composition: | 80% wool, 20% recycled polyester |
| Abrasion resistance: | 104 000 Martindale |
| Flammability: | BS EN 1021: 1-2 (Cigarette & match) |
| Light fastness: | 5-7 |
| Pilling: | 4-5 |
| Environmental facts: | Manufacturing process – fully compliant with ISO 14001 |



SHI 099

Sirdal and Suldal (GU) - Price group 4

Sirdal and Suldal are part of the 100% Norwegian wool trio Sirdal, Suldal and Setesdal. These fabrics are uniquely short-travelled in every part of the process – 100% pure Norwegian wool manufactured in Norway. Norwegian wool with its distinctive brilliance, resilience and durability is expressed through rich structures that evoke authenticity paired with chic and modern comfort.

| | |
|----------------------|--|
| Composition: | 100% New Norwegian wool |
| Abrasion resistance: | > 57 000 Martindale |
| Flammability: | FTP code: Part 8 IMO MSC 307(88) Annex 1 part 8, EN ISO 12947-2:1999 |
| Light fastness: | 5-7 |
| Pilling: | 3-4 (BS EN ISO 12947-2) |
| Environmental facts: | Locally produced, 100% free of heavy metals |



SRD 190



SUL 180



SUL 810



SRD 730

Vadal Uni (GU) - Price group 4

High quality, fine felted new wool fabric with an inviting appearance and a warm touch.

| | |
|----------------------|--|
| Composition: | 92% new wool, 8% polyamide |
| Abrasion resistance: | 102 000 Martindale |
| Flammability: | BS EN 1021: 1-2 (Cigarette & match), IMO MSC 307(88) Annex 1 part 8 |
| Light fastness: | 5-7 |
| Pilling: | 3-4 (BS EN ISO 12947-2) |
| Environmental facts: | EU Ecolabel, 100% free of heavy metals, Manufacturing process - fully compliant with ISO 14001 |



VADU 191

Paloma Soft (Wollsdorf) - Price group 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

| | |
|----------------------|---|
| Flammability: | BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO MSC 307(88) Annex 1 part 8 |
| Light fastness: | 6 (EN ISO 105-B02) |
| Rubbing: | Wet 80/4 - Dry 1000/4 - Sweat 50/4 - ISO11640 |
| Finish-adhesion: | ≥ 2.5 N/CM - ISO 11644 |
| Tear-strength: | ≥ 20 N DIN EN ISO 3377-1 |
| Environmental facts: | 100% free of heavy metals, tanned without using chromium salts. BlueAngel, ECO ₂ L-certificate |



ATG 55130



ATG 55115



ATG 55206



ATG 55185



ATG 56100



Flokk is the market leader in the design, development and production of workplace furniture in Europe. We are the proud owner of product brands HÅG, RH, Giroflex, BMA, Offecct, RBM, Profim and Malmstolen. About 2500 employees work together to realize the vision of our company:

Inspire great work.

Our head office is in Oslo, Norway. We have production units in Røros (Norway), Zwolle (the Netherlands), Koblenz (Switzerland), Turek (Poland) and in Tibro, Nässjö and Hunnebostrand (Sweden). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, China and Australia. Flokk products are sold in more than 50 countries. In 2017, we achieved a turnover of approximately NOK 3 billion.

Headquarters

Flokk

Fridtjof Nansens vei 12 | P.O. Box 5055 Majorstuen
NO-0301 Oslo | Norway

Tel: +47 22 59 59 00 | Fax : +47 22 59 59 59

Customer service +47 72 40 72 40

Email: info-gpo@flokk.com

Web: www.flokk.com/hag

Zastoupení HAG pro ČR:

NORDESIGN s.r.o.

V Hůrkách 2139

15800 Praha 5

tel: 602207144